

INDEX

A

- Absolute path, 395, 733
- Access control element, 846-847
- Access control list, 647-650, 846-847
- Access token, 846
- ACE (*see* Access Control Element)
- Acknowledged datagram service, 555
- Acknowledgement, 121, 554
- ACL (*see* Access Control List)
- ACPI, 370
- Active message, 537
- Adapter, 271
- ADC (*see* Analog digital converter)
- Address space, 34
- Address windowing extensions, 816
- Admission control algorithm, 458
- Admission scheduler, 140
- ADSL (*see* Asymmetric Digital Subscriber Line)
- Adversary, 585
- Affinity scheduling, 523
- AFS (*see* Andrew File System)
- Agent, 637
- Aging, 146, 220-222
- Alarm signal, 36
- Analog digital converter, 460
- Andrew file system, 564-565
- Antivirus techniques, 628-635
 - Behavioral checkers, 633
 - Integrity checkers, 632
 - Virus scanners, 629-632
- APC (*see* Asynchronous Procedure Call)
- Aperiodic process, 149
- API (*see* Application Program Interface)
- Applet, 637
- Application program interface, 54
- Architectural coherence, 861
- Architecture, 3
- Associative memory, 211
- Asymmetric digital subscriber line, 454, 727
- Asynchronous call, 535
- Asynchronous procedure call, 783
- Atomic action, 110
- Attribute, file, 386-387
- Audio encoding, 459-461
- Authentication, 121
 - challenge-response, 600
 - user, 591-606
- Automounting, 749
- AV disk, 324

B

Backing store, 246
 Backup, file system, 416-421
 Bad block, 322-324, 418
 Bad-news diode, 892
 Balance set manager, 820
 Banker's algorithm, 178-180
 multiple resources, 179-180
 single resource, 178-179
 Bank switching, 816
 Barrier, 123-124
 Base record, 834
 Base register, 26, 196
 Basic input output system, 33, 190
 Batch system, 7
 Battery management, 369
 Battery-powered computers, 896-897
 Behavioral checker, 633
 Belady's anomaly, 229
 Bell-La Padula model, 657-658
 Berkeley fast file system, 744-745
 Berkeley UNIX, 675-676
 Best fit algorithm, 201
 Biba model, 658-659
 Binary exponential backoff, 552
 Binary semaphore, 111
 Binding time, 874
 BIOS (*see* Basic Input Output System)
 Bitmap, 199-200, 352-354
 Bitmap graphics, 344
 Block cache, 424-426, 492-494
 Block device, 270, 290
 Blocking call, 535
 Blocking network, 510
 Blocking versus nonblocking call, 535-537
 Block size, 298, 411-412
 Block special file, 40, 383, 724
 Boot block, 399
 Boot sector, 810
 Booting UNIX, 708-710
 Booting Windows 2000, 810-811
 Bottom-up implementation, 876-877
 Bounded-buffer problem, 108
 Bridge, 552
 Brute force solution, 881
 BSD, 13
 BSS segment, 711
 Buddy algorithm, 721
 Buffer cache, 424-426, 728

Buffering, 294-296
 double, 295-296
 Buffer overflow attack, 610-612
 Burst mode, 278
 Bus, 31-34
 Bus-based multiprocessor, 506-507
 Busy waiting, 30, 104, 285
 Byte code, JVM, 643

C

Cache, 87
 Cache-Coherent NUMA, 511
 Cache hit, 24
 Cache line, 23
 Cache manager, Windows 2000, 785
 Caching, 887-888
 file, 424-426
 multimedia, 492-494
 Windows 2000, 849-851
 Call gate, 261-262
 Canonical mode, 337-340
 Capability, 650-653
 Capability list, 650
 CC-NUMA, 511
 CD-recordable, 310-312
 CD-Rewritable, 312-313
 CD-ROM, 33-34, 306-310
 file system, 430-435
 multisession, 312
 session, 312
 VTOC, 311-312
 XA, 311
 Central processing unit, 21-23
 CERT (*see* Computer Emergency Response Team)
 Certificate, 591
 Challenge-response, 600
 Character device, 270, 291
 Character special file, 40, 383, 724
 Checkerboarding, 253
 Checkpointing, 174
 Chief programmer team, 891
 Child process, 35, 691
 Chrominance signal, 462
 Ciphertext, 587
 Circuit switching, 529
 Circular wait condition, 164-165, 182-183

- Classical IPC problems, 124-132
 - dining philosophers, 125-128
 - readers and writers, 128-129
 - sleeping barber, 129-132
 - Cleaner, 430
 - Cleaning policy, 241
 - Client process, 62
 - Client-server model, 61-63
 - Client-server system, 869-870
 - Client stub, 538
 - C-list, 650, 730
 - Clock, 327-333
 - square-wave mode, 328
 - one-shot mode, 328
 - Clock hardware, 328-329
 - Clock paging algorithm, 218-219
 - Clock software, 329-332
 - Clock tick, 328
 - Cluster computer, 526
 - Cluster of workstations, 526
 - Cluster size, 440
 - CMOS memory, 25-26
 - CMS (*see* Conversational Monitor System)
 - Code page, 347
 - Code review, 610
 - Code signing, 641-642
 - Color palette, 346
 - Command interpreter, 35
 - Compaction, memory, 197
 - Compatible Time Sharing System, 11
 - Composite video, 462
 - Computer
 - first generation, 6-7
 - fourth generation, 14-16
 - second generation, 7-9
 - third generation, 9-13
 - Computer emergency response team, 637
 - Computer hardware, 20-34
 - Condition variable, 116, 698
 - Configuration manager, Windows 2000, 785
 - Confinement problem, 661-663
 - Constant data length, 485
 - Constant time length, 485
 - Context switch, 28, 142
 - Control object, Windows 2000, 783
 - Conversational monitor system, 59-60
 - Cooked character stream, 731
 - Cooked mode, 336
 - Copy on write, 241, 701, 815
 - CORBA, 565-567
 - Core image, 35
 - Core map, 716
 - Co-scheduling, 525
 - Countermeasures, 606
 - Covert channel, 661-665
 - COW (*see* Cluster Of Workstations)
 - CP/M, 14, 435-438
 - CPU (*see* Central Processing Unit)
 - CPU scheduler (*see* Scheduling algorithm)
 - Cracker, 592, 593-596
 - Crash, 290, 417, 678, 814
 - Critical region, 102-103
 - Critical section, 102
 - Crossbar switch, 507
 - Crosspoint, 508
 - Cryptography, 587-591
 - CTSS (*see* Compatible Time Sharing System)
 - Cube, 527
 - Current directory, 396
 - Cycle stealing, 278
 - Cylinder, 24
 - Cylinder group, 745
 - Cylinder skew, 316
- D**
- DAACL (*see* Discretionary ACL)
 - Daemon, 74, 299, 690
 - printer, 101
 - DAG (*see* Directed Acyclic Graph)
 - Data confidentiality, 584
 - Data encryption standard, 843
 - Datagram service, 555
 - Data integrity, 584
 - Data segment, 50, 711
 - Deadlock, 36-37, 159-185
 - conditions, 164
 - definition, 163
 - Deadlock avoidance, 175-180
 - multiple resources, 179-180
 - single resource, 178-179
 - Deadlock detection, 168-175
 - Deadlock modeling, 164-167
 - Deadlock prevention, 180-185
 - attacking circular wait, 182-183
 - attacking hold and wait, 181
 - attacking mutual exclusion, 180-181
 - attacking no preemption, 182

- Deadlock recovery, 173-175
 - using killing processes, 174-175
 - using preemption, 173-174
 - using rollback, 174
- Decibel, 459
- Dedicated I/O device, 297
- Deferred procedure call, 783
- Degree of multiprogramming, 141
- Demand paging, 222
- Denial of service attack, 584
- DES (*see* Data Encryption Standard)
- Design, operating system, 855-898
- Design principles, 859-861
- Device context, 351
- Device controller, 271-272
- Device driver, 29, 289-292
 - uniform interfacing, 293
 - Windows 2000, 827-830
- Device independence, 283
- Device independent bitmap, 354
- Device object, 828
- Device register, 2
- Diameter, network, 527
- DIB (*see* Device independent bitmap)
- Digital signature, 590-591
- Digital versatile disk, 313, 454
- Digital video, 467
- Digital video disk, 313
- Digram, 588
- Dining philosophers problem, 125-128
- Directed acyclic graph, 408
- Direct memory access, 31, 276-279, 287
- Directory-based multiprocessor, 511
- Directory, 38, 383, 393-399
 - CP/M, 437-438
 - current, 396
 - distributed system, 560-561
 - hierarchical, 395
 - implementation, 405-408
 - ISO 9660, 432-433
 - MS-DOS, 440
 - root, 393
 - single level, 393-394
 - UNIX version 7, 445-446
 - Windows 98, 443-445
 - Windows 2000, 839-840
 - working, 396
- Directory operation, 398-399
- DirectX, 781
- Dirty bit, 210
- Disabling interrupts, 103-104
- Discretionary access control, 657
- Discretionary ACL, 846
- Disk, 300-327
 - CD-ROM, 306-310
 - CD-recordable, 310-312
 - CD-rewritable, 312-313
 - DVD, 313-315
 - IDE, 300
 - magnetic, 300-302
- Disk arm scheduling, 318-322
 - elevator algorithm, 319
 - shortest seek first, 319
- Disk backup, 416-421
- Disk farm, 490
- Disk formatting, 315-318
- Disk hardware, 300
- Disk interleaving, 317-318
- Disk quota, 415-416
- Disk scheduling, 318-322
 - dynamic, 496-498
 - multimedia, 494-498
 - static, 495-496
- Disk space management, 410-411
- Dispatcher, 87
- Dispatcher object, 783
- Distance string, 232
- Distributed operating system, 16
- Distributed shared memory, 242, 540-544, 568
- Distributed system, 505, 549-577
- DLL (*see* Dynamic Link Library)
- DMA (*see* Direct Memory Access)
- DNS (*see* Domain Name System)
- Domain name system, 557
- Domain, protection, 645
- DOS (*see* MS-DOS)
- Dotted decimal notation, 594
- Double buffering, 295
- Double indirect block, 446, 744
- Double torus, 527
- DPC (*see* Deferred Procedure Call)
- Driver interface, 370
- Driver-Kernel Interface, 728
- Driver object, 824
- DSM (*see* Distributed Shared Memory)
- D-space, 239
- DVD (*see* Digital Versatile Disk)
- DV (*see see* Digital Video)
- Dynamic disk, 825
- Dynamic link library, 794

E

Earliest deadline first, 473-476
 Early binding, 874
 Echoing, 337-338
 EDF (*see* Earliest Deadline First)
 EEPROM (*see* Electrically erasable ROM)
 Effective UID, 755
 EFS (*see* Encrypting File System)
 Electrically Erasable ROM, 25
 Elevator algorithm, 320
 Embedded systems, 897
 Encryption, 587-589, 842-844
 Encrypting file system, 842
 End-to-end argument, 868-869
 Environment Subsystem, 792
 Error-correcting code, 272
 Error handling, 322-324
 Error reporting, 297
 Escape character, 340
 Escape sequence, 341
 Ethernet, 551-552
 Event-driven paradigm, 862
 Event, Windows 2000, 801-802
 Exclusive lock, 736
 Executive, Windows 2000, 784-787
 Exokernel, 61, 868-869
 Experience, role of in project mgmt, 893-894
 Extended machine, 4
 Extensible system, 870
 External fragmentation, 253

F

Fair share scheduling, 148
 False sharing, 541-543
 FAT (*see* File Allocation Table)
 Fiber, Windows 2000, 798
 Field, 461
 FIFO page replacement algorithm, 217
 File, 38-41

- block size, 411-412
- contiguous, 400-402
- shared, 408
- special, 40, 383, 724

 File access, 385-386

File allocation

- using FAT, 403-404
- using linked list, 402

 File allocation table, 403-404

- FAT-16 file system, 830
- FAT-32 file system, 830

 File attribute, 386-387
 File caching, 494
 File compression, 841-842
 File descriptor, 39, 389, 737
 File encryption, 842-844
 File extension, 381
 File handle, 749
 File implementation, 400-405
 File management, 413-414
 File name lookup, 839-841
 File naming, 380-382
 File operation, 387-388
 File placement

- multimedia, 481-492
- near video on demand, 486-487

 File read ahead, 427
 File sharing, 562-564
 File structure, 382-383
 File system, 379-449

- backup, 416-421
- CD-ROM, 430-435
- consistency, 421-424
- CP/M, 435-438
- disk quotas, 415-416
- distributed, 559-564
- examples, 430-448
- FAT-16, 830
- FAT-32, 830
- implementation, 399-430
- ISO 9660, 430-435
- layout, 399-400
- Linux, 746-747
- log structured, 428-430
- MD-DOS, 438-442
- multimedia, 475-481
- performance, 424-428
- reliability, 416-424
- UNIX, 732-753
- UNIX system calls, 736-740
- UNIX Version 7, 445-448
- Win32 API calls, 831-832
- Windows 2000, 830-844
- Windows 98, 442-445

 File type, 383-385

Filter, 685
 Filter driver, 830
 Finger daemon, 636
 Finger length identification, 604
 Fingerprint identification, 605
 Finite-state machine, 89
 First-come first-served scheduling, 139
 First fit algorithm, 200
 First-in First-out page replacement, 217
 Fixed partitions, 191-192
 Flash RAM, 25
 Fly-by mode, 278
 FMS (*see* FORTRAN Monitor System)
 Folder, 393
 Font, 354-355
 Formal Models of Secure Systems, 655-647
 FORTRAN monitor system, 8-9
 Fragmentation
 external, 253
 internal, 237
 Frame, 461
 Free disk block management, 413-414

G

Gang scheduling, 524-526
 GDI (*see* Graphics Device Interface)
 GDT (*see* Global Descriptor Table)
 Generic rights, 652
 Generic security attacks, 613
 GID (*see* Group ID)
 Global descriptor table, 257
 Globe, 567-571
 GNU public license, 679
 Goat file, 629
 GPL (*see* GNU Public License)
 Graphical user interface, 15, 342-355
 input software, 347
 output software, 347-355
 Graphics adapter, 344
 Graphics device interface, 351, 786
 Green book, 309
 Grid, 527
 Group, 648
 Group ID, 36, 753
 Guaranteed scheduling, 146-147
 GUI (*see* Graphical User Interface)

H

Hacker, 592, (*see also* cracker)
 HAL (*see* Hardware Abstraction Layer)
 Handle, 77, 773
 Hard link, 398
 Hard real time system, 148
 Hardware abstraction layer, 779-782
 Header file, 687
 Head skew, 316
 Hiding the hardware, 877-879
 High sierra, 309
 Hint, 888
 Hive, registry, 777
 Host, 553
 Hungarian notation, 350
 Hypercube, 528
 Hyperlink, 558

I

IBM 1401, 7-10
 IBM 7084, 8-10
 IBM PC, 14
 IBM System/360, 9-10
 IDE Disk, 28
 IDL (*see* Interface Definition Language)
 IEEE 1394, 32
 IEEE standard 1003.1, 676
 IIOP (*see* Internet InterOrb Protocol)
 Immediate file, 837
 Impersonation, 846
 Imprecise interrupt, 282
 Incremental dump, 417
 Indirect block, 446, 744
 Indirection, 879-880
 I-node, 51, 404-405, 740
 I-node table, 741
 Input software
 GUI, 347
 terminal, 336-340
 Instruction backup, 244-245
 Instruction set architecture, 2
 Integrated drive electronics, 28
 Integrity checker, 632
 Interface definition language, 566
 Interlaced video, 462
 Interleaving, disk, 317-318

Internal fragmentation, 237
 Internet, 552-553
 Internet InterOrb Protocol, 566
 Internet protocol, 556, 726
 Internet worm, 635-637
 Interpretation, 640-641
 Interprocess communication, 35, 100-124
 Interrupt, 30, 279-282
 imprecise, 282
 precise, 281
 Interrupt-driven I/O, 286
 Interrupt handler, 287
 Interrupt vector, 30, 79, 280
 Intrinsic, 357
 Intruder, 585
 I/O, 38, 269-372
 DMA, 287, 276-279
 memory-mapped, 272-276
 I/O device, 28-31, 270-271
 I/O hardware, 269-282
 clock, 328-329
 disk, 300-315
 display, 344-346
 keyboard, 335
 mouse, 343
 I/O manager, Windows 2000, 784
 I/O port, 273
 I/O request packet, 827
 I/O software, 282-287
 buffering, 283-284, 294-296
 device independent, 283, 292-298
 error handling, 283
 error reporting, 297
 input, 336-340, 347
 layers, 287
 output, 341-342, 347-355
 synchronous, 283
 naming, 283
 UNIX, 723-732
 Windows 2000, 824-830
 IP address, 556
 IPC (*see* Interprocess communication)
 IP (*see* Internet Protocol)
 IRP (*see* I/O Request Packet)
 ISA bus, 31
 ISA (*see* Instruction Set Architecture)
 ISO 9660 file system, 309-310, 430-435
 Joliet extensions, 435
 Rock Ridge extensions, 434-435
 I-space, 239

J

Java development kit, 643
 Java security, 642-644
 Java virtual machine, 61, 640-641
 JavaSpace, 576
 JDK (*see* Java Development Kit)
 Jiffy, 707
 Jini, 575-577
 discovery protocol, 575
 lease, 575
 lookup service, 575
 Jitter, 457
 Job, 7
 Windows 2000, 796
 Joint photographic experts group, 464
 Joliet extensions, 435
 JPEG standard, 464-467
 JVM (*see* Java Virtual Machine)

K

Kernel
 UNIX, 687-690
 Windows 2000, 782-784
 Kernel mode, 2
 Kernel thread, 870
 Key
 cryptographic, 587
 file, 383
 registry, 775
 Keymap, 347

L

Land, 307
 LAN (*see* Local Area Network)
 Large address space, 894-895
 Late binding, 874
 Layered system, 57-59, 867
 LDT (*see* Local Descriptor Table)
 Least recently used page replacement, 218-220
 Legacy device, 33
 LFS (*see* Log-Structured File system)
 Lightweight process, 81
 Limit register, 26, 196

Linda, 572-573
 template, 573
 tuple space, 572
 Linear address, 259-260
 Line discipline, 730
 Link, 408, 734
 Linked list, 200-202
 Linux, 13, 678-680
 file system, 746-747
 memory management, 719-723
 scheduling algorithm, 706-708
 threads, 702-704
 Loadable module, 730
 Load balancing algorithm, 545
 bidding, 548
 graph-theoretic, 545-546
 receiver-initiated, 547-548
 sender-initiated, 546-547
 Local Area Network, 551
 Local descriptor table, 257
 Locality, 888-889
 Locality of reference, 222
 Local procedure call, Windows 2000, 785
 Location independence, 562
 Location service, 571
 Location transparency, 561
 Lock, file, 735
 Lock variable, 104
 Logical block addressing, 302
 Logical dump, 419
 Logic bomb, 609
 Login spoofing, 608-609
 Log-structured file system, 428-430
 Loosely-coupled system, 505
 Lottery scheduling, 147
 LRU page replacement algorithm, 218-220
 Luminance signal, 462

M

Machine language, 2
 Macroblock, 468
 Magic character, shell, 684
 Magic number, 384
 Mailbox, 122
 Mainframe, 7
 Major device, 293, 724
 Mandatory access controls, 657

Mapped page writer, 822
 Master boot record, 317, 399
 Master file table, 834-839
 MBR (*see* Master Boot Record)
 MD5, 590
 Mechanism versus policy, 62, 149-150,
 247-249, 870-871
 Memory, 23-28
 Memory compaction, 197
 Memory hierarchy, 189
 Memory management, 37, 189-263
 bitmaps, 199-200
 design issues, 234-242
 implementation, 242-249
 linked lists, 200-202
 Linux, 719-723
 segmentation, 249-262
 system calls, 714-715
 swapping, 196-202
 UNIX, 710-723
 virtual memory, 202-214
 Windows 2000, 811-823
 Memory management unit, 27, 203
 Memory manager, 189
 Windows 2000, 785
 Memory-mapped file, 391-393, 713
 Memory-mapped I/O, 272-276
 Memory scheduler, 141
 Mesh, 527
 Message digest, 590
 Message passing, 119-123
 design issues, 121
 producer-consumer, 121-123
 Message-passing interface, 123
 Metafile, 353
 Method, 349, 565
 Metric units, 66-67
 MFT (*see* Master File Table)
 Microarchitecture level, 1
 Microcomputer, 14
 Microkernel, 62
 Microprogram, 1
 Middleware, 550
 coordination-based, 572-577
 document-based, 558-559
 file-system-based, 559-564
 shared-object-based, 565-571
 MINIX, 13, 677-678
 Minor device, 53, 294, 724
 Missing disk block, 422

- MMU (*see* Memory Management Unit)
 - Mobile code, 637-642
 - Modeling paging systems, 228-234
 - Modified page writer, 822
 - Monitor, 115-119
 - Monoalphabetic substitution, 588
 - Monolithic system, 56-57
 - Monoprogramming, 190-191
 - Motif, 16, 357
 - Motion picture experts group, 467
 - Mounted file system, 52
 - MPEG standard, 467-469
 - MPI (*see* Message-Passing Interface)
 - MS-DOS, 14, 763-764
 - emulation on Windows 2000, 809-810
 - file system, 438-442
 - Multicomputer, 526-548
 - communication software, 531-540
 - hardware, 527-531
 - interconnection, 527-531
 - scheduling, 544-545
 - software, 531-548
 - MULTICS, 12, 672, 254-257
 - Multilevel security, 657-659
 - Multimedia system, 453-499, 896
 - audio encoding, 459-461
 - disk scheduling, 494-498
 - file, 458-463
 - file placement, 481-492
 - file system paradigms, 475-481
 - process scheduling, 469-475
 - server, 475
 - video compression, 463-469
 - video encoding, 461-463
 - Multiple queue scheduling, 144-146
 - Multiprocessor, 71, 506-526
 - bus-based, 506-507
 - CC-NUMA, 511
 - crossbar-based, 507-508
 - directory-based, 511
 - hardware, 506-513
 - multistage network, 509-510
 - NC-NUMA, 511
 - operating system, 513-516
 - scheduling, 521-526
 - synchronization, 516-521
 - Multiprogramming, 10, 72
 - degree, 193
 - fixed partitions, 191-192
 - modeling, 192-194
 - Multistage switching networks, 509
 - Multithreaded code, 81, 97-100
 - Mutation engine, 631
 - Mutex, 113-114, 698
 - Mutual exclusion, 102, 103-108
 - busy waiting, 103
 - disabling interrupts, 103-104
 - lock variables, 104
 - Peterson's algorithm, 105-106
 - strict alternation, 104-105
 - TSL instruction, 107-108
 - Mythical man month, 890-891
- N**
- Naming, 872-874
 - Naming transparency, 561-562
 - Narrow striping, 492
 - NC-NUMA, 511
 - Near video on demand, 478-481
 - file placement, 486-487
 - Network file system, 747-753
 - architecture, 747-748
 - implementation, 750-753
 - protocols, 749-750
 - Network hardware, 551-553
 - Networking, 895
 - UNIX, 725-726
 - Network interface, 529
 - Network operating system, 16
 - Network protocol, 555-558
 - Network service, 553-555
 - acknowledged datagram, 555
 - connectionless, 554
 - connection-oriented, 554
 - datagram, 555
 - request-reply service, 555
 - Network terminal, 355-363
 - SLIM, 360-363
 - Next fit algorithm, 201
 - NFS (*see* Network File System)
 - NFU page replacement algorithm, 220
 - Nonblocking system call, 535
 - Nonblocking network, 508
 - Noncanonical mode, 337
 - Nonpreemptive scheduling, 135
 - Nonresident attribute, 836
 - Nonresource deadlocks, 184

Nonuniform memory access machine, 511-513
 Nonvolatile RAM, 327
 Not frequently used page replacement, 220
 Not recently used page replacement, 216-217
 NRU page replacement algorithm, 216-217
 NT file system, 830-844
 NTFS (*see* NT File System)
 NUMA multiprocessor, 511-513

O

Object, 565
 security, 647
 Windows 2000, 787-792
 Object adapter, 566
 Object manager, Windows 2000, 784
 Object name space, Windows 2000, 791-792
 Object request broker, 566
 Omega network, 509
 One-time password, 599-600
 One-way function, 589
 Ontogeny recapitulates phylogeny, 16-18
 Open file description, 743
 Open software foundation, 677
 Operating system, 1
 batch, 7
 concepts, 34-44
 design, 855-898
 embedded, 20
 extended machine, 3-4
 history, 6-18
 implementation, 867-882
 multimedia, 453-499
 multiprocessor, 513-516
 real-time, 19
 smart card, 20
 performance, 882-889
 resource manager, 5-6
 structure, 56-65, 867-871
 trends, 894-897
 types, 18-20
 Optical disk, 306-315
 Optimal page replacement algorithm, 215-216
 Optimization, common case, 889
 Orange book, 311, 659-661
 ORB (*see* Object Request Broker)
 Organ-pipe algorithm, 488
 Orthogonality, 871-872

OS/360, 10-11
 OSF (*see* Open Software Foundation)
 Ostrich algorithm, 167-168
 Output software
 GUI, 347-355
 terminal, 341
 Windows, 347
 Overlapped seek, 300
 Overlay, 202

P

P and V primitives, 111
 Packet, 528
 Packet sniffer, 596
 Page, 203-210
 pinned, 246
 Page daemon, 716
 Page directory, 259-260
 Page fault, 205
 Page fault frequency replacement, 235-236
 Page fault handling, 243-244
 Windows 2000, 818-819
 Page fault rate, 233-234
 Page frame, 203
 Page replacement algorithm, 214-228
 aging, 220-222
 clock, 218-219
 FIFO, 217
 global, 234
 Linux, 719-723
 local, 234
 LRU, 218-220
 NFU, 220
 NRU, 216-217
 optimal, 215-216
 PFF, 235-236
 second chance, 217-218
 summary, 227-228
 two-handed clock, 718
 UNIX, 717-719
 Windows 2000, 819-823
 working set, 222-225
 WSclock, 225-227
 Page size, 237-238
 Page table, 205-210
 inverted, 213-214
 multilevel, 207-209

- Page table entry, 209-210
- Page table structure, 209-210
- Paging, 202
 - demand, 222
 - design issues, 234-242
 - global, 234
 - implementation issues, 242-249
 - load control, 236-237
 - local, 234
 - modeling, 228-23
 - UNIX, 716-717
 - Windows 2000, 819-823
- Paging daemon, 241
- Paradigm,
 - data, 863-864
 - execution, 862-863
 - user interface, 861-862
- Parallel and distributed systems, 896
- Parent process, 691
- Partition, disk, 53, 317
- Password, 592-600
 - one-time, 599-600
- Path name, 38, 395-398
 - absolute, 395
 - relative, 396
- PCI bus, 31
- PDA (*see* Personal Digital Assistant)
- PDP-11, 13
- Penetration team, 613
- Pentium, segmentation, 257-262
- Perfect shuffle network, 509
- Performance, operating system, 882-889
- Periodic process, 149
- Personal digital assistant, 20
- Peterson's algorithm, 105-106
- PFF page replacement algorithm, 235-236
- Physical address, 27
- Physical dump, 418
- Physical memory management, 821
- PID (*see* Process ID)
- Pinned page, 246
- Pipe, 40-41, 692
- Pipeline, 22, 685
- Pipe symbol, 685
- Pit, 307
- Pixel, 344, 463
- Plaintext, 587
- Play point, 480
- Plug and play, 33
- Plug-and-play manager, 785
- Policy versus mechanism, 62, 149-150, 247-249, 870-871
- Polling, 285
- Pop-up thread, 537
- Portable C compiler, 674
- Position independent code, 816
- POSIX, 13, 46, 676
 - thread calls, 697-698
- Power management, 363-371
 - degraded operation, 370-371
 - hardware issues, 364-365
 - operating system issues, 365-370
 - Windows 2000, 785
- Preamble, disk, 272
- Precise interrupt, 281
- Preemptive scheduling, 135
- Prepaging, 222
- Present/absent bit, 205
- Primary volume descriptor, 431
- Principal, security, 647
- Principle of least privilege, 653
- Printer daemon, 101
- Priority inversion, 108, 808
- Priority scheduling, 143-144
- Privacy, 585
- Process, 34-36, 71-153
 - aperiodic, 149
 - child, 691
 - classical IPC problems, 124-132
 - interprocess communication, 100-124
 - parent, 691
 - periodic, 149
 - UNIX, 690-710
 - Windows 2000, 796-811
- Process control block, 79
- Process creation, 73-75
- Process group, 692
- Process hierarchy, 76-77
- Process ID, 48, 691
- Process implementation, 79-80
- Process management, UNIX, 692-698
- Process manager, Windows 2000, 784
- Process model, 72-73
- Process scheduling, 132-152
 - multimedia, 469-475
- Process state, 77-79
- Process switch, 142
- Process table, 35, 79-80
 - UNIX, 699
 - Windows 2000, 796-811

Process termination, 75-76
 Processor allocation algorithm, 545
 Processor sharing, 155
 Producer-consumer problem, 108-110
 message passing, 121-123
 monitors, 117-118
 semaphores, 11-113
 Program counter, 21
 Programmed I/O, 284-286
 Program status word, 21
 Progressive video, 462
 Project management, 889-894
 Prompt, 42, 683
 Proportionality, 138
 Protection, memory, 194-196
 Protection command, 655-656
 Protection domain, 645-647
 Protection matrix, 645-647
 Protection mechanism, 584, 645-653
 Protection ring, 262
 Protocol, 356, 602
 Protocol stack, 556
 Pseudoparallelism, 71
 PSW (*see* Program Status Word)
 Public-key cryptography, 588-589
 Publish/Subscribe, 574-575
 Pull server, 475
 Pulse code modulation, 460
 Push server, 475

Q

Quality of service, 457, 554
 Quantization noise, 460
 Quantum, 142
 Quick fit algorithm, 201
 Quota, disk, 415-416

R

Race condition, 100-102
 RAID, 302-306
 striping, 303
 RAM (*see* Random Access Memory)
 Random access file, 385
 Random access memory, 24
 Raster graphics, 344

Rate monotonic scheduling, 472-473
 Raw mode, 336
 Read ahead, file, 427, 752
 Readers and writers problem, 128-129
 Read-only memory, 25
 Real time, 329
 Real-time operating system, 20
 Real-time scheduling, 470-475
 Receive primitive, 534-535
 Recycle bin, 417
 Recycling of concepts, 43-44
 Red book, 306
 Redirection, I/O, 42, 692
 Reentrancy, 880-881
 Reentrant code, 292
 Reference monitor, 640, 645, 655
 Reference string, 230-231
 Registry, Windows, 774-777
 Regular file, 383
 Relative path, 396, 733
 Reliability, file system, 416-424
 Relocation, 194-196
 Remote procedure call, 537-540
 Rendezvous, 123
 Reparse point, 841
 Request-reply service, 555
 Resource, 160-163, 358
 nonpreemptable, 161
 preemptable, 160
 Resource acquisition, 161-163
 Resource trajectories, 175-176
 Resource vector, 171
 Response time, 138
 Reusability, 880
 Right, 645
 RMS (*see* Rate Monotonic Scheduling)
 R-node, 751
 Rock Ridge extensions, 434-435
 Role, 648
 ROM (*see* Read-Only Memory)
 Root, 754
 Root directory, 38
 Root file system, 40
 Root key, registry, 775
 Round, 495
 Round robin scheduling, 142-143
 Router, 553
 RPC (*see* Remote Procedure Call)
 RSA algorithm, 589
 Rwx bits, 41

S

- SACL (*see* System ACL)
- Safe state, 176-178
- Salt, 597
- Sandboxing, 638-640
- Scan-EDF algorithm, 497
- Schedulable system, 149
- Scheduler, 132
- Scheduler activations, 94
- Scheduling, process, 132-152
- Scheduling algorithm, 132-152
 - affinity, 523
 - batch systems, 138-139
 - categories, 135-136
 - earliest deadline first, 473-476
 - fair share, 148
 - first-come, first-served, 139
 - goals, 136-138
 - guaranteed, 146-147
 - interactive, 142-148
 - Linux, 706-708
 - lottery, 147
 - multicomputer, 544-545
 - multiprocessor, 521-526
 - multimedia, 469-475
 - multiple queues, 144-146
 - multiprocessor, 521-526
 - priority, 143-144
 - rate monotonic, 472-473
 - real-time, 148-149
 - real-time, 470-475
 - round robin, 142-143
 - shortest job first, 139-140
 - shortest process next, 146
 - shortest remaining time next, 140
 - thread, 150-151
 - three-level scheduling, 140-142
 - two-level, 523
 - UNIX, 704-706
 - Windows 2000, 804-809
- Scheduling mechanism, 149
- Scheduling policy, 149
- Script kiddy, 596
- SCSI bus, 32
- Second chance page replacement, 217-218
- Second system effect, 893
- Secret-key cryptography, 588
- Secure hash algorithm, 590
- Security, 41, 583-666
 - Security attacks, 606-644
 - buffer overflow, 610-612
 - logic bomb, 609
 - login spoofing, 608-609
 - trap door, 610
 - Trojan horse, 607-608
 - UNIX, 753-757
 - Win32 API calls, 847-848
 - Windows 2000, 844-849
 - Security flaws, 614-616
 - OS/360, 615
 - TENEX, 614
 - UNIX, 614
 - Security by obscurity, 587
 - Security descriptor, 846
 - Security design principles, 616-617
 - Security environment, 584-586
 - Security ID, 845-847
 - Security manager, Windows 2000, 785
 - Segment, 250-251
 - Segmentation, 249-262
 - implementation, 253
 - MULTICS, 254-257
 - Pentium, 257-262
 - Selector, Pentium, 258
 - Semantics of file sharing, 562
 - Semaphore, 110-113
 - binary, 111
 - Send primitive, 534-535
 - Sequencer, 569
 - Sequential access file, 385
 - Sequential consistency, 543-544, 562
 - Sequential process, 72
 - Serial line, 334
 - Server process, 62
 - Server stub, 538
 - Session manager, 811
 - Session semantics, 563
 - Set-top box, 455
 - SETUID bit, 755
 - SHA (*see* Secure Hash Algorithm)
 - Shared library, 251
 - Shared lock, 736
 - Shared-memory multiprocessor, 506-526
 - Shared pages, 239-241
 - Shared text segment, 712
 - Shell, 35, 41-42, 683-686, 693-694
 - Shell script, 686
 - Shortest job first scheduling, 139-140
 - Shortest process next scheduling, 146

- Shortest remaining time next, 140
 - Shortest seek first, 319
 - SID (*see* Security ID)
 - Signal, 692
 - Signature block, 590
 - Silver bullet, lack of, 894
 - Single indirect block, 446, 744
 - Skeleton, 566
 - SLED, 303
 - Sleep primitive, 108
 - Sleeping barber problem, 129-132
 - SLIM network terminal, 360-363
 - Smart card, 20, 601
 - Smart scheduling, 522
 - SMP (*see* Symmetric MultiProcessor)
 - Socket, 725-726
 - Soft real time system, 148
 - Soft timer, 332-333
 - Space sharing, 523
 - Space-time trade-off, 884-886
 - Special file, 40, 383, 724
 - Spin lock, 105, 518-519
 - Spinning versus switching, 519-521
 - Spooler directory, 101
 - Spooling, 11, 298
 - Spooling directory, 299
 - Stable storage, 324-327
 - Stack algorithm, 229-232
 - Stack pointer, 21
 - Stack segment, 50
 - Standard error, 684
 - Standard input, 684
 - Standard output, 684
 - Starvation, 126, 184-185
 - Stateless file system, 750
 - Static versus dynamic structures, 875-876
 - Steganography, 664
 - Store-and-forward packet switching, 528-529
 - Stored value card, 601
 - Stream, 730-732
 - Striping, disk, 492
 - Stub, 538
 - Subject, security, 647
 - Subkeys, registry, 775
 - Superblock, 399, 740
 - Superscalar CPU, 22
 - Superuser, 36, 754
 - Supervisor mode, 2
 - SVID (*see* System V Interface Definition)
 - Swapper, 715
 - Swapper thread, 821
 - Swapping, 196-202
 - UNIX, 715-716
 - Symbolic link, 409-410
 - Symmetric-key cryptography, 588
 - Symmetric multiprocessor, 515-516
 - Synchronization, 113
 - multiprocessor, 516-521
 - Synchronous call, 535
 - System/360, 9-10
 - System ACL, 847
 - System call, 23, 44-56
 - example of use, 389-391
 - UNIX file system, 736-740
 - UNIX I/O, 726-727
 - UNIX memory management, 714-715
 - UNIX process management, 692-696
 - UNIX security, 755-756
 - UNIX thread management, 696-698
 - Win32 file system, 831-833
 - Win32 I/O, 825-827
 - Win32 memory management, 816-817
 - Win32 process management, 799-804
 - Win32 security, 847-849
 - Win32 thread management, 799-804
 - System call interface, 864-866
 - System services, 786
 - System V, 13
 - System V interface definition, 676
- T**
- Tagged architecture, 650-651
 - TCB (*see* Trusted Computing Base)
 - TCP (*see* Transmission Control Protocol)
 - TCP/IP, 676
 - Team structure, 891-893
 - Template, 573
 - TENEX security flaw, 614
 - Termcap, 341
 - Terminal
 - character-oriented, 333-342
 - input software, 336-340
 - network, 355-363
 - output software, 341
 - RS-232, 334-336
 - Text segment, 50, 711
 - Thermal management, 369

Thin client, 360-363
 Thompson, Ken, 13
 Thrashing, 222
 Thread, 81-100
 hybrid, 94
 kernel, 93
 Linux, 702-704
 pop-up, 96-97
 UNIX, 701-702
 user, 90-93
 Windows 2000, 804-809
 worker, 87
 Thread implementation, 90-93
 Thread jacket, 92
 Thread model, 81-85
 Thread scheduling, 150-151
 Thread system calls, 696-698
 Thread table, 90
 Thread usage, 85-90
 Thread wrapper, 92
 Threat, 584-585
 Three-level scheduling, 140-142
 Tiger team, 613
 Tightly-coupled system, 505
 Timer, 327
 Timesharing, 11, 521-523
 Time-space trade-off, 884-886
 TLB (*see* Translation Lookaside Buffer)
 Top-down implementation, 876-877
 TOPS-20, 384
 Torvalds, Linus, 13
 Track, 24
 Trampoline, 810
 Translation lookaside buffer, 211
 software management, 212-213
 Transmission control protocol, 557, 676, 726
 TRAP door, 610
 Trap instruction, 45
 Trends in operating system design, 894-897
 Triple indirect block, 446, 744
 Trojan horse, 607-608, 663
 Trusted computing base, 654-655
 Trusted system, 653-665
 TSL instruction, 107-108
 Tuple, 572
 Tuple space, 572
 Turnaround time, 137
 Two-level directory, 394
 Two-level scheduling, 523
 Two-phase locking, 183-184

U

UART, 335
 UDP (*see* User Datagram Protocol)
 UID (*see* User ID)
 UI (*see* UNIX International)
 UMA multiprocessor, 506-510
 UNICS, 672-673
 Uniform resource locator, 558
 Universal coordinated time, 329
 Universal serial bus, 32
 UNIX, 13 15-16, 671-758
 Berkeley, 675-676
 booting, 708-710
 file system, 732-753
 goals, 681-682
 history, 672-680
 interfaces, 682-683
 I/O, 723-732
 kernel structure, 687-690
 memory management, 710-723
 overview, 681-690
 paging, 716-717
 password security, 596-598
 PDP-11, 673-674
 portable, 674-675
 processes, 690-710
 scheduling algorithm, 704-706
 security, 753-757
 security flaws, 614
 shell, 683-686, 693-694
 standard, 676-677
 system calls (*see* System calls)
 threads, 701-702
 utility programs, 686-688
 version 7 file system, 445-448
 UNIX International, 677
 Unsafe state, 176-178
 Upcall, 95
 URL (*see* Uniform Resource Locator)
 USB (*see* Universal serial bus)
 User authentication, 591-606
 using password, 592-600
 using biometrics, 603-605
 using physical object, 601-603
 User datagram protocol, 726
 User friendly, 15
 User ID, 36, 753
 User interface paradigm, 861
 User mode, 3

User-space I/O software, 298-300
 User structure, UNIX, 699
 UTC (*see* Universal Coordinated Time)

V

VAD (*see* Virtual Address Descriptor)
 Value, registry, 775
 Vampire tap, 551
 VCR control function, 476
 Vector graphics, 344
 Venus, 564
 Vice, 564
 Video compression, 463-469
 Video controller, 344
 Video encoding, 461
 Video on demand, 454
 Video RAM, 344
 Video server, 454
 Virtual address, 27, 203
 Virtual address space, 203
 Virtual address descriptor, 818
 Virtual machine, 4, 59-61
 Virtual machine monitor, 59
 Virtual memory, 197, 202-214
 Virtual memory interface, 241-242
 Virus, 617-635

- avoidance, 633-634
- boot sector, 623-624
- cavity, 622
- companion, 619-620
- damage scenarios, 618-619
- denial of service attack, 618
- device driver, 625
- dropper, 619
- executable program, 620-622
- how spread, 626-628
- how to fight, 628-635
- macro, 625
- memory resident, 623
- overwriting, 620
- parasitic, 622
- payload, 619
- polymorphic, 631
- recovery, 635
- source code, 626

 Virus scanner, 629-632
 V-node, 750-751

W

Wakeup primitive, 108
 Wakeup waiting bit, 110
 WAN (*see* Wide Area Network)
 War dialer, 594
 Watchdog timer, 331
 Web browser, 558
 Web page, 558
 Wide area network, 551
 Wide striping, 492
 Widget, 357
 Wildcard, 649
 Wild card, shell, 684
 Win32 API calls, 53-56, 772-774

- file system, 831-833
- I/O, 825-827
- memory management, 816-817
- process management, 799-804
- security, 847-849
- thread management, 799-804

 Window, 347
 Window manager, 357
 Windows 95, history, 764-765
 Windows 98,

- file system, 442-445
- history, 764-765

 Windows 2000, 763-852

- booting, 810-811
- critical section, 801
- device drivers, 827-830
- executive, 784-787
- file system, 830-844
- history, 767-771
- I/O, 824-830
- IPC, 800-802
- kernel, 782-784
- master file table, 834-839
- memory management, 811-823
- objects, 787-792
- page fault handling, 818-819
- page replacement algorithm, 819-823
- processes, 796-811
- programming, 771-777
- registry, 774-777
- scheduling, 804-809
- security, 844-849
- socket, 801
- system calls (*see* Win32 API calls)
- system structure, 778-796

Windows driver model, 827
Windows Me, 15, 764-765
Windows Millennium edition, 15, 764-765
Windows NT, 15, 765-766
Wireless communication, 368
VM/370, 59-60
Working directory, 39, 396, 733
Working set, 222-225
Working set manager, 820
Wormhole routing, 529
Worm, Internet, 635
Worst fit algorithm, 201
Write-through cache, 426
WSClock, 225-227

X

X client, 356
X server, 356
X terminal, 356
X Window System, 16, 356-360
Xlib, 356

Y

Yellow book, 308

Z

Zero page thread, 822
Zipf's law, 488
Zombie state, 695

ABOUT THE AUTHOR

Andrew S. Tanenbaum has an S.B. degree from M.I.T. and a Ph.D. from the University of California at Berkeley. He is currently a Professor of Computer Science at the Vrije Universiteit in Amsterdam, The Netherlands, where he heads the Computer Systems Group. He is also Dean of the Advanced School for Computing and Imaging, an interuniversity graduate school doing research on advanced parallel, distributed, and imaging systems. Nevertheless, he is trying very hard to avoid turning into a bureaucrat.

In the past, he has done research on compilers, operating systems, networking, and local-area distributed systems. His current research focuses primarily on the design of wide-area distributed systems that scale to a billion users. These research projects have led to over 85 refereed papers in journals and conference proceedings and five books.

Prof. Tanenbaum has also produced a considerable volume of software. He was the principal architect of the Amsterdam Compiler Kit, a widely-used toolkit for writing portable compilers, as well as of MINIX, a small UNIX clone intended for use in student programming labs. Together with his Ph.D. students and programmers, he helped design the Amoeba distributed operating system, a high-performance microkernel-based distributed operating system. The MINIX and Amoeba systems are now available for free via the Internet.

His Ph.D. students have gone on to greater glory after getting their degrees. He is very proud of them. In this respect he resembles a mother hen.

Prof. Tanenbaum is a Fellow of the ACM, a Fellow of the the IEEE, a member of the Royal Netherlands Academy of Arts and Sciences, winner of the 1994 ACM Karl V. Karlstrom Outstanding Educator Award, and winner of the 1997 ACM/SIGCSE Award for Outstanding Contributions to Computer Science Education. He is also listed in *Who's Who in the World*. His home page on the World Wide Web can be found at URL <http://www.cs.vu.nl/~ast/> .