

# Formal Verification of Language-Based Concurrent Noninterference

Andrei Popescu

Technische Universität München and Institute of Mathematics Simion Stoilow of the Romanian Academy

Johannes Hölzl

Technische Universität München

and

Tobias Nipkow

Technische Universität München

---

We perform a formal analysis of compositionality techniques for proving possibilistic noninterference for a while language with parallel composition. We develop a uniform framework where we express a wide range of noninterference variants from the literature and compare them w.r.t. their *contracts*: the strength of the security properties they ensure weighed against the harshness of the syntactic conditions they enforce. This results in a simple implementable algorithm for proving that a program has a specific noninterference property, using only compositionality, which captures uniformly several security type-system results from the literature and suggests a further improved type system. All formalism and theorems have been mechanically verified in Isabelle/HOL.

---

## 1. INTRODUCTION

*Language-based noninterference* is an important and well-studied security property. To state this property, one assumes the program memory is separated into a *low*, or public, part, which an attacker is able to observe, and a *high*, or private, part, hidden to the attacker. Then a program satisfies noninterference if, upon running it, the high part of the initial memory does not affect the low part of the resulting memory. Thus, the program has *no information leaks* from the private part of the memory into the public one, so that a potential attacker should not be able to obtain information about private data by inspecting public data.

Noninterference comes in different variants, depending on what type of channels one accepts as capable of transmitting leaks—besides the normal channels represented by program variables, so-called *covert channels* include termination and timing channels. Moreover, when nondeterminism is involved, one can distinguish between *possibilistic* and

---

This is an extended version of the conference paper [29]; it additionally includes more detailed explanations of the discussed concepts and techniques, proof sketches, a presentation of the Isabelle formalization, and addresses more related work. The work reported here has been supported by the DFG project Ni 491/13-1 (part of the DFG priority program RS3) and the NI 491/15-1.

Permission to make digital/hard copy of all or part of this material without fee for personal or classroom use provided that the copies are not made or distributed for profit or commercial advantage, the ACM copyright/server notice, the title of the publication, and its date appear, and notice is given that copying is by permission of the ACM, Inc. To copy otherwise, to republish, to post on servers, or to redistribute to lists requires prior specific permission and/or a fee.

© 2013 Journal of Formal Reasoning

*probabilistic* noninterference (the latter also taking probabilistic channels into account).

In this paper, we deal with noninterference in the presence of *possibilistic concurrency*. The literature abounds in notions of concurrent possibilistic noninterference and techniques to enforce it [3–7, 20, 30–32, 35, 40, 44], many of them surveyed in [34]. There is usually a tradeoff between the strength of a security property and the harshness of the conditions imposed on the programs in order to satisfy it (typically, a type system). Yet, new methods for establishing noninterference are often presented as improvements over older methods (e.g., a more lenient type system) while being rather brief on the notion that in effect the whole *contract* is being changed: less pressure on the programs, weaker noninterference ensured.

The paper presents the first comparison of a variety of noninterference notions and results, in a unified and formalized framework, where complex results from the literature are given uniform and simplified proofs. As a preview of the kind of properties we analyze and classify in this paper, here is a selection of informal notions of a command  $c$  being secure (noninterfering):

(1) Given any two initial memory states that are indistinguishable by the attacker (have the same low, i.e., public, part), the executions of  $c$  proceed identically w.r.t. both the program counter and the updates on the low part of the memory—we call this property *self isomorphism*.

(2)  $c$  may never change the low part of the memory during its execution—we call this *discreetness* (often in the literature this is called *highness*).

(3) If started in two indistinguishable memory states, the executions of  $c$  are lock-step bisimilar, performing the same updates to the low part of the memory—we call this *self strong bisimilarity*, i.e., strong bisimilarity to itself (called *strong security* in [36]).

(4) A relaxation of strong bisimilarity with lock-step synchronization replaced by *01-bisimilarity* (simply called *bisimilarity* in [6]), where only attacker-visible (i.e., low-memory changing) steps in one execution are required to be matched by corresponding steps in the other, while “discreet” (i.e., low-memory unchanging) steps need not be matched. Thus, one step may be matched by either zero or one steps.

(5) A further relaxation of strong bisimilarity—*weak bisimilarity* [22] (used in [5, 40] in a security context) where one step may be matched by any number of steps.

Property 1 (self isomorphism) is a very strong security notion, ensuring that an attacker controlling the low inputs of  $c$  is not able to infer any information about the high inputs, not even if he is allowed to observe the low part of intermediate memory states *and the program counter*. In particular, self isomorphism exhibits no leaks on covert channels such as timing or termination. Property 2 (discreetness) is neither weaker nor stronger than self isomorphism, but it no longer guarantees indistinguishability w.r.t. the program counter, and moreover the attacker may infer confidential information by measuring execution time. Property 3 (strong bisimilarity) prevents leaks on standard channels (low variable values) and timing channels, but, unlike self isomorphism, does not guarantee that execution starting in indistinguishable states follow the very same paths (taking the same branches). Properties 4 (01-bisimilarity) and 5 (weak bisimilarity) are weakenings of all of the above three. They are only able to guarantee the absence of leakage through standard channels.

EXAMPLE 1. Consider the following commands, where  $l$  is a low variable and  $h, h'$  are high variables:

$-c_0: h := 0$   
 $-c_1: \text{if } l = 0 \text{ then } h := 1 \text{ else } l := 2$   
 $-c_2: \text{if } h = 0 \text{ then } h := 1 \text{ else } h := 2$   
 $-c_3: \text{if } h = 0 \text{ then } h := 1 ; h := 2 \text{ else } h := 3$   
 $-c_4: l := 4 ; c_3$   
 $-c_5: c_3 ; l := 4$   
 $-c_6: l := h$   
 $-c_7: h' := 0 ; \text{while } h > 0 \text{ do } \{h := h - 1 ; h' := h' + 1\} ; l := 4$

$c_0$  is both self isomorphic and discreet.  $c_1$  is self isomorphic (since it is not testing any high variable), but not discreet.  $c_2$  and  $c_3$  are discreet (as they are not updating any low variable), but not self isomorphic.  $c_1$  and  $c_2$ , but not  $c_3$ , are self strongly bisimilar—the reason why  $c_3$  is not is its branching on a high test in conjunction with one branch taking longer than the other.  $c_4$  is self 01-bisimilar, because, after a self isomorphic assignment, it transits to a discreet continuation.  $c_5$  is not self 01-bisimilar, but it is self weakly bisimilar.  $c_6$  is not secure according to any of the five criteria—it exhibits a direct leak from high to low.

If we ignore timing channels and assume that initially  $h \geq 0$ , then it is reasonable to consider  $c_7$  secure, since it has the same effect as the program  $h' := h ; l := 4$ . However, whether or not we should deem  $c_7$  secure *when placed in parallel with other threads* depends on the assumption we make on these threads—e.g., are they allowed to change  $h$ , thus preventing termination of  $c_7$ ?

Note that the above example programs are sequential, which seems to contrast with our declared focus on concurrency—the explanation for this, hinted in the previous paragraph and detailed throughout the paper, is that the discussed notions of noninterference are defined anticipating parallel composition, i.e., so that the subject threads behave well when placed in parallel with other threads.

Here is an overview of this paper, where we use “security” and “noninterference” as synonyms. We start by introducing the concurrent setting where we operate: a while language with parallel composition and a fixed attacker-indistinguishability relation on program states (Section 2). Then we systematize and compare bisimilarity-based notions from the literature (Section 3). A formal study of the compositionality of, and of the implications between, these notions (Section 4) yields a novel proof methodology: To show that  $c$  is secure according to some notion  $N$ , first try to reduce the goal to proving  $N$  for the components of  $c$ ; if this is not feasible due to failure of the required compositionality of  $N$  w.r.t. the language construct  $Cns$  located at the top of  $c$  (e.g.,  $Cns$  can be an If, or a While, etc.), try to identify a stronger notion  $M$  that is (more) compositional w.r.t.  $Cns$ , and so on, recursively. The compositionality caveats of existing notions suggests the definition of a fully compositional security notion (Section 5). We then look at existing work on security type systems in the light of our analysis (Section 6)—the aforementioned simple proof technique turns out quite insightful, capturing these type system criteria uniformly. Our novel security notion from Section 5 yields a more permissive syntactic criterion than the existing ones, but the result targets only terminating programs. We also discuss end-to-end security aspects of the studied bisimilarity-based notions (Section 7). Finally, we present the mechanization of our constructions and results in Isabelle/HOL (Section 8).

## 2. THE PROGRAMMING LANGUAGE

We consider a simple while language with parallel composition, whose set **com** of commands, ranged over by  $c, d, e$ , is given by the following grammar:

$$c ::= atm \mid \text{Seq } c_1 c_2 \mid \text{If } tst \ c_1 \ c_2 \mid \text{While } tst \ c \mid \text{Par } c_1 \ c_2$$

Above,  $atm$  ranges over an unspecified set **atom** of atomic commands (atoms). Standard examples of atoms are assignments such as  $x := x + y$ .  $\text{Seq } c_1 \ c_2$  is the sequential composition of  $c_1$  and  $c_2$ , written in concrete syntax as  $c_1 ; c_2$ .  $\text{If } tst \ c_1 \ c_2$  is the conditional, written in concrete syntax as  $\text{if } tst \ \text{then } c_1 \ \text{else } c_2$ , where  $tst$  ranges over an unspecified set **test** of tests. Standard examples of tests are Boolean expressions such as  $x = y$ .  $\text{While } tst \ c$  is the usual while loop, in concrete syntax,  $\text{while } tst \ \text{do } c$ .  $\text{Par } c_1 \ c_2$  is the parallel composition of  $c_1$  and  $c_2$ , in concrete syntax,  $c_1 \parallel c_2$ . We generally prefer abstract syntax in theoretical results and concrete syntax in examples.

To give semantics to the language, we assume:

- a set of (memory) states, **state**, ranged over by  $s, t$ ; an execution function for the atoms,  $aexec : \mathbf{atom} \rightarrow \mathbf{state} \rightarrow \mathbf{state}$ ;
- an evaluation function for the tests,  $tval : \mathbf{test} \rightarrow \mathbf{state} \rightarrow \mathbf{bool}$ .

Then we define a standard small-step semantics [26] as a pair of inductive predicates  $\rightarrow_{\tau} : (\mathbf{com} \times \mathbf{state}) \rightarrow \mathbf{state}$  and  $\rightarrow_c : (\mathbf{com} \times \mathbf{state}) \rightarrow (\mathbf{com} \times \mathbf{state})$  (where the subscripts T and C stand for “termination” and “continuation”) specified in Figure 1. Intuitively, we interpret  $(c, s) \rightarrow_{\tau} s'$  as stating: in state  $s$ , command  $c$  may take a step terminating while changing the state to  $s'$ ; and  $(c, s) \rightarrow_c (c', s')$  as saying: in state  $s$ , command  $c$  may take a step yielding the continuation  $c'$  while changing the state to  $s'$ . The pairs  $(c, s)$ , which we call *configurations*, are thus thought of as consisting of the part of the program that remains to be executed,  $c$ , and the current state,  $s$ . We carefully distinguish between continuation and terminating steps (as the two predicates  $\rightarrow_c$  and  $\rightarrow_{\tau}$ ), since termination-sensitiveness will be crucial in our development.

$\rightarrow_c^*$  denotes the reflexive-transitive closure of  $\rightarrow_c$ , and  $\rightarrow_{\tau}^*$  the composition of  $\rightarrow_c^*$  with  $\rightarrow_{\tau}$ . Thus,  $(c, s) \rightarrow_c^* (c', s')$  means that  $(c', s')$  is reachable from  $(c, s)$  by zero or more continuation steps, and  $(c, s) \rightarrow_{\tau}^* s'$  that (the final state)  $s'$  is reachable from  $(c, s)$  by zero or more continuation steps followed by a terminating step.

The freeness of the command constructors in conjunction with the inductive definitions of  $\rightarrow_c$  and  $\rightarrow_{\tau}$  provide us with the obvious inversion rules. E.g., the inversion rule for  $\rightarrow_c$  w.r.t.  $\text{Seq}$  is the following: If  $(\text{Seq } c_1 \ c_2, s) \rightarrow_c (c', s')$ , then one of the following holds:

- either  $(c_1, s) \rightarrow_{\tau} s'$  and  $c' = c_2$ ,
- or there exists  $c'_1$  such that  $(c_1, s) \rightarrow_c (c'_1, s')$  and  $c' = \text{Seq } c'_1 \ c_2$ .

Similar, but slightly more complex rules can be proved for the “star” relations, e.g., for  $\rightarrow_c^*$  w.r.t.  $\text{Seq}$ : If  $(\text{Seq } c_1 \ c_2, s) \rightarrow_c^* (c', s')$ , then one of the following holds:

- either there exist  $c'_1$  and  $s''$  such that  $(c_1, s) \rightarrow_{\tau} s''$  and  $(c_2, s'') \rightarrow_c^* (c', s')$ .
- or there exists  $c'_1$  such that  $(c_1, s) \rightarrow_c^* (c'_1, s')$  and  $c' = \text{Seq } c'_1 \ c_2$ .

Another useful fact will be the following progress property of the operational semantics:

$$\begin{array}{c}
 (atm, s) \rightarrow_{\top} aexec\ atm\ s \\
 \\
 \frac{tval\ tst\ s}{(If\ tst\ c_1\ c_2, s) \rightarrow_c (c_1, s)} \quad \frac{(c_1, s) \rightarrow_{\top} s'}{(Seq\ c_1\ c_2, s) \rightarrow_c (c_2, s')} \quad \frac{(c_1, s) \rightarrow_c (c'_1, s')}{(Seq\ c_1\ c_2, s) \rightarrow_c (Seq\ c'_1\ c_2, s')} \\
 \\
 \frac{(c_1, s) \rightarrow_c (c'_1, s')}{(Par\ c_1\ c_2, s) \rightarrow_c (Par\ c'_1\ c_2, s')} \quad \frac{\neg\ tval\ tst\ s}{(If\ tst\ c_1\ c_2, s) \rightarrow_c (c_2, s)} \quad \frac{\neg\ tval\ tst\ s}{(While\ tst\ c, s) \rightarrow_{\top} s} \\
 \\
 \frac{(c_2, s) \rightarrow_c (c'_2, s')}{(Par\ c_1\ c_2, s) \rightarrow_c (Par\ c_1\ c'_2, s')} \quad \frac{tval\ tst\ s}{(While\ tst\ c, s) \rightarrow_c (Seq\ c\ (While\ tst\ c), s)} \\
 \\
 \frac{(c_2, s) \rightarrow_{\top} s'}{(Par\ c_1\ c_2, s) \rightarrow_c (c_1, s')} \quad \frac{(c_1, s) \rightarrow_{\top} s'}{(Par\ c_1\ c_2, s) \rightarrow_c (c_2, s')}
 \end{array}$$

Fig. 1: Small-step semantics

PROPOSITION 1. For all  $c$  and  $s$ , either there exists  $s'$  such that  $(c, s) \rightarrow_{\top} s'$  or there exist  $c'$  and  $s'$  such that  $(c, s) \rightarrow_c (c', s')$ .

PROOF. By a straightforward structural induction on  $c$ .  $\square$

### 3. NOTIONS OF NONINTERFERENCE

Next we proceed to a uniform description of several notions of noninterference from the literature. We fix a relation  $\sim$  on states, called *indistinguishability*, where  $s \sim t$  is meant to say “ $s$  and  $t$  are indistinguishable by the attacker.”

EXAMPLE 2. Often,  $\sim$  is defined as follows. We assume that atomic statements and tests are built by means of arithmetic and boolean expressions applied to variables taken from a set **var**. States are assignments of values to variables, i.e., the set **state** is **var**  $\rightarrow$  **val**, where **val** is a set of values (e.g., integers). Variables are classified as either low (lo) or high (hi) by a given security level function  $sec : \mathbf{var} \rightarrow \{\text{lo}, \text{hi}\}$ . Then  $\sim$  is defined as coincidence on the low variables, with the intuition that the attacker is only able to observe these. Formally,  $s \sim t \equiv \forall x \in \mathbf{var}. sec\ x = \text{lo} \implies s\ x = t\ x$ .<sup>1</sup>

We define the following predicates on commands *coinductively as greatest fixed points*, i.e., as the *weakest*<sup>2</sup> predicates satisfying the indicated clauses:

$$\begin{array}{l}
 \text{—Self isomorphism, } \text{siso, by } \text{siso } c \equiv \\
 (\forall s\ t\ c'\ s'. s \sim t \wedge (c, s) \rightarrow_c (c', s') \implies (\exists t'. (c, t) \rightarrow_c (c', t') \wedge s' \sim t')) \wedge \\
 (\forall s\ t\ s'. s \sim t \wedge (c, s) \rightarrow_{\top} s' \implies (\exists t'. (c, t) \rightarrow_{\top} t' \wedge s' \sim t')) \wedge \\
 (\forall s\ c'\ s'. (c, s) \rightarrow_c (c', s') \implies \text{siso } c') \\
 \text{—Discreetness, } \text{discr, by } \text{discr } c \equiv \\
 (\forall s\ c'\ s'. (c, s) \rightarrow_c (c', s') \implies s \sim s' \wedge \text{discr } c') \wedge (\forall s\ s'. (c, s) \rightarrow_{\top} s' \implies s \sim s')
 \end{array}$$

Note that here  $\equiv$  does not introduce a definition in the usual sense, but rather expresses an equality that, together with the greatest fixed point assumption, identifies uniquely the introduced concept. This will be the case with all the coinductive definitions throughout this paper.

<sup>1</sup>In the mechanization described in Section 8, we consider the more general case of *multilevel security*, via a lattice of security levels—however, this brings neither much additional difficulty, nor much additional insight, so here we focus on this 2-level lattice, with  $\text{lo} < \text{hi}$ .

<sup>2</sup>The conference version of this paper [29] erroneously used the superlative “strongest” instead of “weakest”.

According to the definition of *siso*, a command  $c$  is self isomorphic iff the following hold for all indistinguishable states  $s$  and  $t$ :

- Any single-step continuation  $c'$  of  $c$  available from state  $s$  is also available from  $t$ , yielding indistinguishable states  $s'$  and  $t'$ . (This is stated in the first conjunct from the definition of *siso*.)
- Any single-step terminating state  $s'$  of  $c$  available from state  $s$  has an indistinguishable counterpart,  $t'$ , available from  $t$ . (This is stated in the second conjunct.)
- The above 2 facts hold for all single-step continuations  $c'$  of  $c$ , and for all single-step continuations  $c''$  of  $c'$ , *and so on, indefinitely*. (This is stated in the third conjunct, together with the maximal interpretation of *siso*, as greatest fixed point.)

Thus, the coinductive definition of self isomorphism expresses that that the command execution proceeds absolutely independently of the indistinguishability class of the state, and this is true *interactively*, i.e., *regardless of the intervention of the environment*, provided this intervention is itself compatible with the state indistinguishability relation. And similarly for the definition of *discr*, expressing that the command execution changes the indistinguishability class, regardless of what that class has become due to potential action from the environment.

The last aspect, interactivity, is expressed by the universal quantification over the indistinguishable states  $s$  and  $t$  in the definition of *siso*. Indeed, even though transitions operate on (command, state) pairs, the *siso* predicate operates on commands alone, forgetting each time the result state  $s'$  from the continuation  $(c', s')$ . Thus, at each resumption point, the predicate quantifies universally over *all* states  $s$  (“overwriting” the previous  $s'$ ), to account for the fact that the new state produced by the command under consideration may have been changed by the environment (perhaps consisting of other threads running in parallel, and/or of the attacker) before that command gets to perform an other step. For example, the command  $c \equiv h := 0 ; l := h$  (with  $h$  high and  $l$  low) would be considered self isomorphic if it were not for the interactivity constraint. Indeed, if no interference from the environment is assumed, the execution of  $c$  proceeds the same way regardless of the initial value of  $h$ , as it first assigns 0 to  $h$ . However, *siso*  $c$  does not hold, since the continuation  $l := h$  is required to be secure *given any value of  $h$*  arising as the effect of a secure thread running in parallel, say,  $h := h'$  with  $h'$  high. This interactivity twist (originating from [33, 36]) is convenient for compositionality, since it ensures that a command is secure not only in isolation, but also if placed in any pool of secure threads running in parallel. As a consequence, most of the security notions discussed in this paper will be interactive.

We shall also need the following notion of termination possibility at each point during execution, via the coinductively defined predicate *mayT* (read “may terminate”):

$$\text{mayT } c \equiv \forall s c' s'. (c, s) \rightarrow_c (c', s') \implies (\exists s''. (c', s') \rightarrow_{\tau}^* s'') \wedge \text{mayT } c'.$$

Thus, *may-termination* means: for any continuation of the command and any given state, there is a possible terminating execution.

Self isomorphism and discreteness were expressible as unary predicates. However, interesting noninterference properties may require binary relations. To see this, assume we wish to express that  $c$  is secure, i.e., its executions are (multi)step-wise equivalent if started in indistinguishable states. Assume  $c$  branches according to a high test. Then indistinguishable states may yield different continuations, say,  $c_1$  and  $c_2$ , and so we are faced with the problem of proving the executions of  $c_1$  and  $c_2$  (multi)step-wise equivalent, i.e., proving  $c_1$

and  $c_2$  *bisimilar*. (The above two notions have by-passed this problem in trivial ways: self isomorphism forbids this situation by disallowing the program counter to diverge, hence disallowing high tests, while discreteness of  $c$  also requires  $c_1$  and  $c_2$  to be discreet, hence trivially “equivalent”.)

In order to define relevant notions of bisimilarity, it will be useful to first introduce matching operators (or *matchers*) that express various choices of rules for bisimilarity.

*Parenthesis.* Before doing this, we give some context for readers unfamiliar with process algebra. Suppose we have a single-step transition relation between processes. Then two processes  $p$  and  $q$  are called *bisimilar* if the following hold:

- (1) for all continuations  $p'$  of  $p$ , there exists a continuation  $q'$  of  $q$  such that  $p'$  and  $q'$  are again bisimilar;
- (2) and vice versa (with  $p$  and  $q$  switched).

We can think of these conditions as an infinitary two-player game between an “attacker” who tries to distinguish two processes  $p$  and  $q$  (and thus disprove bisimilarity) and a “defender” who tries to prevent this. At each moment, the state of the game consists of a pair  $(p, q)$ . The attacker picks a process, say,  $p$ , and a transition from it, say,  $p \rightarrow p'$ , the new state becoming  $(p', q)$ . Then the defender has to find a transition from  $q$ , say  $q \rightarrow q'$ , the new state becoming  $(p', q')$ , and so on. The attacker wins if, upon his turn, the defender can no longer move; otherwise, i.e., if (upon his turn) the attacker can no longer move or if the defender manages to stay in the game indefinitely, then the defender wins. Two processes  $p$  and  $q$  are bisimilar iff the attacker has no winning strategy. (Here, we are in a very simple setting where two processes are only distinguishable by means of termination, i.e., if, at some point, one cannot move while the other can. In general, however, one assumes further means for the attacker to inspect processes, e.g., an observer function on their current state.)

Technically, the above amounts to defining bisimilarity as the *weakest symmetric relation*  $\theta$  for which the following holds for all  $p$  and  $q$  such that  $\theta p q$ : for all  $p'$  such that  $p \rightarrow p'$ , there exists  $q'$  such that  $q \rightarrow q'$  and  $\theta p' q'$ . If we extract the core of this characterization into a predicate *match* defined as  $\text{match } \theta p q \equiv \forall p'. p \rightarrow p' \implies (\exists q'. q \rightarrow q' \wedge \theta p' q')$ , then bisimilarity  $\approx$  can be defined as the weakest symmetric relation  $\theta$  for which  $\theta p q$  is equivalent to  $\text{match } \theta p q$  for all processes  $p, q$ . We write this briefly as the fixed point definition  $\approx p q \equiv \text{match } \approx p q$ , interpreted maximally in the space of symmetric relations.

The advantage of employing the auxiliary concept of a matcher is of course the technical ease of varying the notion of bisimilarity. For instance, if we want weak bisimilarity (i.e., one step matched by multiple steps), we modify the definition of *match* to use  $\rightarrow^*$ , the transitive closure of  $\rightarrow$ , on the “response” side of the condition:  $\text{match } \theta p q \equiv \forall p'. p \rightarrow p' \implies (\exists q'. q \rightarrow^* q' \wedge \theta p' q')$ . *End of parenthesis.*

Our relevant matchers are defined in Figure 2, where  $\theta$  ranges over binary relations on commands. In the operator names, the superscripts indicate the kind of steps being taken, and the subscripts indicate by what kind of steps these must be simulated (matched), where: “C” means (single) continuation step; “T” means (single) terminating step; “01C” means 0 or 1 continuation steps; “01” means 0 or 1 continuation or terminating steps, i.e., 01C or T; “MC” means multiple continuation steps; “MT” means multiple continuation steps, followed by a terminating step; “M” means MC or MT. E.g.,  $\text{match}_c^c$  refers to matching any continuation step by a continuation step,  $\text{match}_{01c}^c$  to matching any continuation step by 0 or 1 continuation steps, i.e., either by a continuation step or by a stutter move.

$\text{match}_C^\theta c d \equiv$ $\forall s t c' s'. s \sim t \wedge (c, s) \rightarrow_C (c', s') \implies$ $(\exists d' t'. (d, t) \rightarrow_C (d', t') \wedge s' \sim t' \wedge \theta c' d')$	
$\text{match}_{01}^C \theta c d \equiv$ $\forall s t c' s'. s \sim t \wedge (c, s) \rightarrow_C (c', s') \implies$ $(\exists d' t'. (d, t) \rightarrow_C (d', t') \wedge s' \sim t' \wedge \theta c' d') \vee$ $(s' \sim t \wedge \theta c' d)$	$\text{match}_{MC}^C \theta c d \equiv$ $\forall s t c' s'. s \sim t \wedge (c, s) \rightarrow_C (c', s') \implies$ $(\exists d' t'. (d, t) \rightarrow_C^* (d', t') \wedge s' \sim t' \wedge \theta c' d')$
$\text{match}_{01}^C \theta c d \equiv$ $\forall s t c' s'. s \sim t \wedge (c, s) \rightarrow_C (c', s') \implies$ $(\exists d' t'. (d, t) \rightarrow_C (d', t') \wedge s' \sim t' \wedge \theta c' d') \vee$ $(s' \sim t \wedge \theta c' d) \vee$ $(\exists t'. (d, t) \rightarrow_{\tau} t' \wedge s' \sim t' \wedge \text{discr } c')$	$\text{match}_M^C \theta c d \equiv$ $\forall s t c' s'. s \sim t \wedge (c, s) \rightarrow_C (c', s') \implies$ $(\exists d' t'. (d, t) \rightarrow_C^* (d', t') \wedge s' \sim t' \wedge \theta c' d') \vee$ $(\exists t'. (d, t) \rightarrow_{\tau}^* t' \wedge s' \sim t' \wedge \text{discr } c')$
$\text{match}_{\tau}^T c d \equiv$ $\forall s t s'. s \sim t \wedge (c, s) \rightarrow_{\tau} s' \implies$ $(\exists t'. (d, t) \rightarrow_{\tau} t' \wedge s' \sim t')$	$\text{match}_{MT}^T c d \equiv$ $\forall s t s'. s \sim t \wedge (c, s) \rightarrow_{\tau} s' \implies$ $(\exists t'. (d, t) \rightarrow_{\tau}^* t' \wedge s' \sim t')$
$\text{match}_{01}^T c d \equiv$ $\forall s t s'. s \sim t \wedge (c, s) \rightarrow_{\tau} s' \implies$ $(\exists t'. (d, t) \rightarrow_{\tau} t' \wedge s' \sim t') \vee$ $(\exists d' t'. (d, t) \rightarrow_C (d', t') \wedge s' \sim t' \wedge \text{discr } d') \vee$ $(s' \sim t \wedge \text{discr } d)$	$\text{match}_{MT}^T c d \equiv$ $\forall s t s'. s \sim t \wedge (c, s) \rightarrow_{\tau} s' \implies$ $(\exists t'. (d, t) \rightarrow_{\tau}^* t' \wedge s' \sim t') \vee$ $(\exists d' t'. (d, t) \rightarrow_C^* (d', t') \wedge s' \sim t' \wedge \text{discr } d')$

Fig. 2: Matchers

Matchers indicate how the single steps of a command  $c$  may be matched by *single or multiple* steps of a command  $d$ . In most cases, the matcher is also parameterized by a continuation relation  $\theta$ ; exceptions are  $\text{match}_{\tau}^T$  and  $\text{match}_{MT}^T$ , where, due to termination of both the left and the right sides, no continuation makes sense.  $\text{match}_{01}^C$ ,  $\text{match}_{01}^T$ ,  $\text{match}_M^C$  and  $\text{match}_M^T$  are termination-flexible matchers, in that they allow matching continuation steps against termination steps and vice versa. For instance,  $\text{match}_{01}^C$  (“match a continuation step against 0 or 1 steps of either kind”) requires for  $\theta$ ,  $c$  and  $d$  that, for all indistinguishable states  $s$  and  $t$ , any step  $(c, s) \rightarrow_C (c', s')$  be matched by either a continuation step  $(d, t) \rightarrow_C (d', t')$ , or a stutter step, or a termination step  $(d, t) \rightarrow_{\tau} t'$ . In each case, it is also required that the resulting states are indistinguishable. Moreover, in the first two cases (for continuation and stutter) it is required that the resulting commands are in relation  $\theta$ . For the third case though (the termination step), the latter condition does not make sense, since on the left of the matcher we have a continuation command,  $c'$ , while the right side has terminated; what we require instead is that, w.r.t. the attacker-observable behavior,  $c'$  acts as if it terminated, in that it will never change the indistinguishability class of the state, i.e., is discreet. (Similar discreetness conditions appear in the definitions of the other termination-flexible matchers for similar reasons.)

We are now ready to define the following bisimilarity relations, again coinductively, by plugging in different combinations of matchers and taking each time the *weakest symmetric relation* satisfying the given clause (where the bisimilarities are written with infix notation on the left and are passed as arguments to the matchers on the right):

- Strong bisimilarity*,  $\approx_s$ , by  $c \approx_s d \equiv \text{match}_C^C (\approx_s) c d \wedge \text{match}_{\tau}^T c d$
- 01-bisimilarity*,  $\approx_{01}$ , by  $c \approx_{01} d \equiv \text{match}_{01}^C (\approx_{01}) c d \wedge \text{match}_{01}^T c d$

- Termination-sensitive 01-bisimilarity (01T-bisimilarity)*,  $\approx_{01T}$ , by  
 $c \approx_{01T} d \equiv \text{match}_{01C}^c (\approx_{01T}) c d \wedge \text{match}_T^T c d$
- Weak bisimilarity*,  $\approx_w$ , by  $c \approx_w d \equiv \text{match}_M^c (\approx_w) c d \wedge \text{match}_M^T c d$
- Termination-sensitive weak bisimilarity (weak T-bisimilarity)*,  $\approx_{wT}$ , by  
 $c \approx_{wT} d \equiv \text{match}_{MC}^c (\approx_w) c d \wedge \text{match}_{MT}^T c d$

To be more precise, the above relations are defined using the Knaster-Tarski theorem, stating that every monotonic function  $P : L \rightarrow L$  on a complete lattice  $(L, \leq)$  has a greatest fixpoint  $\text{gfp } P \in L$ , i.e., such that  $P(\text{gfp } P) = \text{gfp } P$  and  $\forall x \in L. P x = x \implies x \leq \text{gfp } x$ . In fact,  $\text{gfp } P$  is also the greatest postfixpoint, i.e.,  $\forall x \in L. x \leq P x \implies x \leq \text{gfp } x$ . This forms the basis of the coinduction principle: to prove  $x \leq \text{gfp } P$ , it suffices to prove  $x \leq P x$ ; or, in a slightly more convenient form: to prove  $x \leq \text{gfp } P$ , it suffices to prove  $x \leq P(x \vee \text{gfp } x)$ , where  $\vee$  is lattice (binary) supremum. We call an  $x$  such that  $x \leq P(x \vee \text{gfp } x)$  a *generalized postfixpoint*.

In our case,  $L$  is the set of symmetric binary relations  $\theta : \mathbf{com} \rightarrow \mathbf{com} \rightarrow \mathbf{bool}$  and  $\leq$  is inclusion (component-wise implication), and the various operators  $P$  are given by combinations of matchers. For example:

- $\approx_s$  is the  $\text{gfp}$  of  $\lambda \theta. \lambda c d. \text{match}_C^c \theta c d \wedge \text{match}_T^T c d$
- $\approx_{01T}$  is the  $\text{gfp}$  of  $\lambda \theta. \lambda c d. \text{match}_{01C}^c \theta c d \wedge \text{match}_T^T c d$

All these bisimilarity relations are by definition symmetric and can also be proved transitive, but they are *not* reflexive. In fact, the notion of a command  $c$  being bisimilar with itself (e.g.,  $c \approx_s c$ ,  $c \approx_{01} c$ , etc.), which we call *self bisimilarity of  $c$*  (e.g., self strong bisimilarity, self 01-bisimilarity, etc.) is taken in this paper as the formalization of the informal notion of security of a command. Below we explain how different bisimilarities correspond to different attacker models.

In all cases, one assumes the attacker has access to the program (command) source code<sup>3</sup> and the low part of the state, and the ability to set, at the beginning of the command execution, the low part of the state in any desired way. As usual, the attacker does not know the initial values of the high variables and is trying to infer information about them—security thus refers to the impossibility of the attacker to infer anything by running the program and performing experiments on its states, perhaps also while the program is still running. Security of a command  $c$  is therefore expressed as: For what the attacker knows, the initial values of the high variables could have been any. That is, provided the initial state is, say,  $s$ , any indistinguishable state  $t$  (i.e., a state  $t$  agreeing with  $s$  on the low variables, but not necessarily on the high ones) would have exhibited the same attacker-observable behavior. If we also factor in interactivity (meaning that, due to the intervention of the environment, fresh indistinguishable states  $s$  and  $t$  may replace the existing ones at any point during the execution), we obtain the following property: By keeping experimenting on the continuations of  $c$  with different indistinguishable states  $s$  and  $t$ , the attacker cannot discover any differences in the resulting states  $s'$  and  $t'$  or (in the termination-sensitive cases) in the fact that execution terminates. The latter is (self) bisimilarity.

The various notions of bisimilarity differ in further assumptions on how precisely is the attacker assumed to be able to experiment on the running program and its states. For

<sup>3</sup>This is a worse-case-scenario assumption. E.g., in Trojan Horse attacks, the attacker is assumed to own the program code.

strong bisimilarity ( $\approx_s$ ), we assume the attacker’s ability to repeatedly stop the program after single execution steps and inspect the (low part of the) state,<sup>4</sup> or, equivalently, take snapshots of the state after controlled numbers of execution steps. Technically, this shows in the two involved matchers,  $\text{match}_C^c$  and  $\text{match}_T^t$ , being one-to-one (w.r.t. continuation or termination steps). Moreover, we assume the attacker can detect termination—this shows in the fact that the two matchers preserve the type of transition: continuation vs. continuation and termination vs. termination. For weak bisimilarity ( $\approx_w$ ), the attacker may still stop the program repeatedly, but has no control on the number of steps that the program takes between two stops. (For what the attacker knows, zero, one, or more steps could have been taken.) This shows in the one-to-many nature of the matchers. The termination-sensitive version of weak bisimilarity ( $\approx_{wT}$ ) additionally assumes the attacker is able to detect termination. Thus,  $\approx_{wT}$  allows, via  $\text{match}_{MT}^t$ , matching a termination step by a sequence of steps only if the latter ends in a termination step. 01-bisimilarity ( $\approx_{01}$ ), also coming with a termination-sensitive variant ( $\approx_{01T}$ ), is intermediate between strong and weak bisimilarity. Here, the attacker may keep running the program for 0 or 1 steps, without knowing which of the two situations has actually occurred.

The following proposition classifies the different notions of self bisimilarity according to their strength:

PROPOSITION 2. The implications in Figure 3 hold.

PROOF. We distinguish two types of stated facts:

1) Implications between genuinely unary predicates and other predicates:

- $\text{discr } c \implies c \approx_{01} c$
- $\text{discr } c \wedge \text{mayT } c \implies c \approx_{wT} c$
- $\text{siso } c \implies c \approx_s c$

After suitably rephrasing them, e.g.,  $\text{discr } c \wedge c = d \implies c \approx_{01} d$ , these facts follow by routine coinduction on the on the right-hand side predicates,  $\approx_{01}$  and  $\approx_s$ .

2) Implications between predicates stemming from binary relations—for these we prove the more general binary versions:

- $c \approx_s d \implies c \approx_{01T} d$
- $c \approx_{01T} d \implies c \approx_{01} d$
- etc.

Instead of doing coinductive proofs here, we invoke a general result stating that greatest fixed points are monotonic: If  $P, Q : L \rightarrow L$  are monotonic functions on a complete lattice  $(L, \leq)$  and  $P \leq Q$  (that is to say,  $\forall x \in L. Px \leq Qx$ ), then  $\text{gfp } P \leq \text{gfp } Q$ . In our case,  $P \leq Q$  amounts to implications between conjunctions of matchers:

- $\text{match}_C^c \theta c d \wedge \text{match}_T^t c d \implies \text{match}_{01}^c \theta c d \wedge \text{match}_{01}^t c d$
- $\text{match}_{01}^c \theta c d \wedge \text{match}_{01}^t c d \implies \text{match}_{01C}^c \theta c d \wedge \text{match}_{01T}^t c d$
- etc.

These follow from implications between matchers:

- $\text{match}_C^c \theta c d \implies \text{match}_{01C}^c \theta c d \implies \text{match}_{MC}^c \theta c d \implies \text{match}_M^c \theta c d$

<sup>4</sup>Here and elsewhere, by the attacker “inspecting the state” we mean “inspecting the *low* part of the state”.

$$\begin{aligned}
 & \text{---match}_{01c}^c \theta c d \implies \text{match}_{01}^c \theta c d \implies \text{match}_M^c \theta c d \\
 & \text{---match}_T^c c d \implies \text{match}_{01}^T c d \implies \text{match}_M^T c d \\
 & \text{---match}_T^c c d \implies \text{match}_{MT}^T c d \implies \text{match}_M^T c d
 \end{aligned}$$

The last implications are trivial.  $\square$

Note that discreteness implies self 01-bisimilarity, but not self 01T-bisimilarity. However, for may-terminating processes (roughly, processes with finite behavior), it does imply self wT-bisimilarity.




Figure 3: Implications between security notions

$c$	$\text{mayT } c$	$\text{discr } c$	$\varphi c$	$\psi c$
$\text{atm}$	True	$\text{pres atm}$	$\text{cpt atm}$	$\text{cpt atm}$
$\text{Seq } c_1 c_2$	$\text{mayT } c_1$ $\text{mayT } c_2$	$\text{discr } c_1$ $\text{discr } c_2$	$\varphi c_1$ $\varphi c_2$	$\frac{\psi_T c_1}{\psi c_2}$ $\psi c_1$ $\text{discr } c_2$
$\text{If } \text{tst } c_1 c_2$	$\text{mayT } c_1$ $\text{mayT } c_2$	$\text{discr } c_1$ $\text{discr } c_2$	$\text{cpt } \text{tst}$ $\varphi c_1$ $\varphi c_2$	$\text{cpt } \text{tst}$ $\psi c_1$ $\psi c_2$
$\text{While } \text{tst } d$	False	$\text{discr } d$	$\text{cpt } \text{tst}$ $\varphi d$	False
$\text{Par } c_1 c_2$	$\text{mayT } c_1$ $\text{mayT } c_2$	$\text{discr } c_1$ $\text{discr } c_2$	$\varphi c_1$ $\varphi c_2$	$\psi c_1$ $\psi c_2$

$$\begin{aligned}
 \varphi & \in \{\text{siso}, \approx_s, \approx_{01T}, \approx_{WT}\} & \psi & \in \{\approx_{01}, \approx_w\} \\
 \psi_T & \equiv \begin{cases} \approx_{01T}, & \text{if } \psi = \approx_{01} \\ \approx_{WT}, & \text{if } \psi = \approx_w \end{cases}
 \end{aligned}$$

Figure 4: Compositionality table

Example 1 already illustrates most of the above bisimilarities. Here are some further illustrations that also take Proposition 2 into account (using the Example 1 notations).

- EXAMPLE 3. (1)  $c_3$  is self 01-bisimilar, as any two discreet processes are 01-bisimilar. (2) However,  $c_3$  is not self 01T-bisimilar, as shown by the following reasoning: depending on  $h$ ,  $c_3$  can move to  $d \equiv h := 1$ ;  $h := 2$  or  $e \equiv h := 3$ ; but  $d$  and  $e$  are not 01T-bisimilar, as  $d$  is not able to 01T-match the immediate terminating step from  $e$ . (3) The above is not a problem for weak T-bisimilarity though, since here  $d$  can catch up with  $e$  by taking multiple steps. Thus,  $c_3$  is self weakly T-bisimilar (as any two discreet processes with finite behavior are weakly T-bisimilar). (4)  $c_5 \equiv c_3$ ;  $l := 4$  is self weakly T-bisimilar, since alternative executions (starting in indistinguishable states) of its first part  $c_3$  are able to  $\approx_{WT}$ -synchronize, so that they can proceed strongly synchronously with the remaining non-discreet step  $l := 4$ . (5) However,  $c_5$  is not self 01-bisimilar since the above  $e$ -continuation of  $c_3$  is able to terminate first, putting itself in a position to take the non-discreet step  $l := 4$ , not available at that time for the other continuation,  $d$ . (6) while  $h = 0$  do  $h := 0$  is discreet, hence self 01-bisimilar, but not weakly T-bisimilar, as a diverging execution from  $h = 0$  cannot match a terminating one from  $h \neq 0$ .

The weak and 01-bisimilarities provide the most fruitful notions in type-system approaches to noninterference. (The others, namely, self isomorphism, discreteness and

strong bisimilarity, are too harsh requirements, but, as we shall see, turn out as useful auxiliaries.) Thus, Smith and Volpano [40] focus on termination-sensitive weak bisimilarity. On the other hand, Boudol and Castellani [6, 7] prefer termination-insensitive 01-bisimilarity, while later Boudol [5] also considers weak bisimilarity, but in its termination-insensitive form. In these works, the newly introduced bisimilarities are not formally compared with preexisting ones—instead, the focus is on comparing the end-product type systems, i.e., the *rely* side of the contract (while the bisimilarities are the *guarantee* part). In order to properly revisit and compare type-system results, we first need an analysis of compositionality for these bisimilarities.

#### 4. COMPOSITIONALITY

We now move to the central concept of this paper—compositionality of noninterference w.r.t. the language constructs.

An atom  $atm$  is called  $\sim$ -preserving, written  $\text{pres } atm$ , if  $\forall s. \text{aexec } atm \ s \sim s$ ; it is called  $\sim$ -compatible, written  $\text{cpt } atm$ , if  $\forall s \ t. s \sim t \implies \text{aexec } atm \ s \sim \text{aexec } atm \ t$ . A test  $tst$  is called  $\sim$ -compatible, written  $\text{cpt } tst$ , if  $\forall s \ t. s \sim t \implies \text{tval } tst \ s = \text{tval } tst \ t$ . In the setting of Example 2, for atoms,  $\sim$ -preservation means no assignment to low variables and  $\sim$ -compatibility means no direct leaks, i.e., no assignment to low variables of expressions depending on high variables (high expressions). Moreover, for tests,  $\sim$ -compatibility means no dependence on high variables.

The next proposition states various compositionality results, schematically represented in Figure 4, as follows. The first column lists the possible forms of a command  $c$  ( $c$  may be an atom  $atm$ , or have the form  $\text{Seq } c_1 \ c_2$ , etc.). The next columns list conditions under which the predicates stated on the first row hold for  $c$ . Thus, e.g., row 3 column 3 says: if  $\text{discr } c_1$  and  $\text{discr } c_2$  then  $\text{discr } (\text{Seq } c_1 \ c_2)$ . The horizontal line in row 3 column 5 represents an “or” – thus, row 3 column 5 says: if either  $[\psi_{\top} \ c_1$  and  $\psi \ c_2]$  or  $[\psi \ c_1$  and  $\text{discr } c_2]$  then  $\psi (\text{Seq } c_1 \ c_2)$ . The involved bisimilarities are considered in their unary, “self” form, e.g.,  $\psi \ c$  means  $c \approx_{01} c$  or  $c \approx_w c$ .

PROPOSITION 3. The compositionality facts stated in Figure 4 hold.

PROOF. As before, for statements involving binary relations, we prove the more general form that does not assume the arguments equal. Thus, e.g., for  $\psi = \approx_{01}$  in row 3 column 5, we prove facts (1) and (2) below; for  $\varphi = \approx_s$  in row 5 column 4 we prove fact (3) below:

- (1)  $c_1 \approx_{01\top} d_1 \wedge c_2 \approx_{01} d_2 \implies \text{Seq } c_1 \ c_2 \approx_{01} \text{Seq } d_1 \ d_2$
- (2)  $c_1 \approx_{01} d_1 \wedge \text{discr } c_2 \implies \text{Seq } c_1 \ c_2 \approx_{01} \text{Seq } d_1 \ c_2$
- (3)  $\text{cpt } tst \wedge c \approx_s d \implies \text{While } tst \ c \approx_s \text{While } tst \ d$

All the proofs are performed by coinduction on the right-hand side predicate, again, after suitable rephrasing, e.g.:

- (1)  $(\exists c_1 \ d_1 \ c_2 \ d_2. c = \text{Seq } c_1 \ c_2 \wedge d = \text{Seq } d_1 \ d_2 \wedge c_1 \approx_{01\top} d_1 \wedge c_2 \approx_{01} d_2) \implies c \approx_{01} d$   
is proved by coinduction on  $\approx_{01}$
- (2)  $(\exists c_1 \ d_1 \ c_2. c = \text{Seq } c_1 \ c_2 \wedge d = \text{Seq } d_1 \ c_2 \wedge c_1 \approx_{01} d_1 \wedge \text{discr } c_2) \implies c \approx_{01} d$   
is proved by coinduction on  $\approx_{01}$
- (3) Assuming  $\text{cpt } tst$ ,  $(\exists c_1 \ d_1. c = \text{While } tst \ c_1 \wedge d = \text{While } tst \ d_1 \wedge c_1 \approx_s d_1) \implies c \approx_s d$   
is proved by coinduction on  $\approx_s$

The coinduction proofs proceed rather straightforwardly, albeit very tediously—they are similar to the bisimilarity-preservation proofs for process algebra operators [2, 22]. One needs to prove that the left-hand side of the implication (or occasionally, a slightly stronger relation) is a generalized postfixpoint of the operator defining the right-hand side (i.e., a bisimulation of a certain kind)—this process involves considering the operational semantics back and fourth, that is, using inversion rules followed by direct rules.

E.g., for (1), we define  $\theta c d \equiv \exists c_1 d_1 c_2 d_2. c = \text{Seq } c_1 c_2 \wedge d = \text{Seq } d_1 d_2 \wedge c_1 \approx_{\text{oiT}} d_1 \wedge c_2 \approx_{\text{oi}} d_2$ , which we first check to be a symmetric relation. Then we assume that (A)  $\theta c d$  holds, and need to show that (B)  $\text{match}_{\text{oi}}^c(\theta \vee \approx_{\text{oi}}) c d$  and (C)  $\text{match}_{\text{oi}}^T c d$  hold.

We shall prove goal (B). ((C) follows by a similar reasoning.) Unfolding the definition of  $\text{match}_{\text{oi}}^c$ , we reduce (B) to the following: We fix  $s, t, c', s'$  and assume (E)  $s \sim t$  and (F)  $(c, s) \rightarrow_c (c', s')$ . We need to show that one of the following three facts hold:

(G1)  $\exists d' t'. (d, t) \rightarrow_c (d', t') \wedge s' \sim t' \wedge (\theta c' d' \vee c' \approx_{\text{oi}} d')$

(G2)  $s' \sim t \wedge (\theta c' d \vee c' \approx_{\text{oi}} d)$

(G3)  $\exists t'. (d, t) \rightarrow_{\tau} t' \wedge s' \sim t' \wedge \text{discr } c'$

From (A), we obtain  $c_1, d_1, c_2, d_2$  such that

(A1)  $c = \text{Seq } c_1 c_2$ , (A2)  $d = \text{Seq } d_1 d_2$ , (A3)  $c_1 \approx_{\text{oiT}} d_1$ , and (A4)  $c_2 \approx_{\text{oi}} d_2$ .

From (A3) and the fixpoint property of  $\approx_{\text{oiT}}$ , we obtain

(A31)  $\text{match}_{\text{oiC}}^c(\approx_{\text{oiT}}) c_1 d_1$  and (A32)  $\text{match}_{\text{oi}}^T c_1 d_1$

From (A1) and (F), using the inversion rule for  $\rightarrow_c$  w.r.t.  $\text{Seq}$ , we split in 2 cases:

Case 1:  $c' = c_2$  and  $(c_1, s) \rightarrow_{\tau} s'$ . With (A32) and (E), we obtain  $t'$  such that  $s' \sim t'$  and  $(d_1, t) \rightarrow_{\tau} t'$ . Hence, from (A2) and the (direct) rules for  $\rightarrow_c$ ,  $(d, t) \rightarrow_c (d_2, t')$ . Thus, taking  $d' = d_2$ , with (A4) we obtain (G1), as desired.

Case 2:  $c'$  has the form  $\text{Seq } c'_1 c_2$  for some  $c'_1$  such that  $(c_1, s) \rightarrow_c (c'_1, s')$ . With (A31) and (E), we split in 2 subcases:

Case 2.1: There exist  $d'_1$  and  $t'$  such that  $(d_1, t) \rightarrow_c (d'_1, t')$ ,  $s' \sim t'$ , and  $c'_1 \approx_{\text{oiT}} d'_1$ . By the definition of  $\rightarrow_c$ , we have  $(\text{Seq } d_1 d_2, t) \rightarrow_c (\text{Seq } d'_1 d_2, t')$ . Hence, taking  $d' = \text{Seq } d'_1 d_2$ , we obtain (G1), as desired.

Case 2.2:  $s' \sim t$  and  $c'_1 \approx_{\text{oiT}} d_1$ . Hence, taking  $d' = \text{Seq } d_1 d_2$ , we obtain (G2), as desired.

Occasionally, we have to strengthen the coinduction hypothesis. E.g., for (3), the relation we prove to be a generalized postfixpoint is not  $\theta c d \equiv \exists c_1 d_1. c = \text{While } \text{tst } c_1 \wedge d = \text{While } \text{tst } d_1 \wedge c_1 \approx_s d_1$ , but rather  $\theta c d \vee \theta' c d$ , where  $\theta' c d \equiv \exists c_2 d_2 c_1 d_1. c = \text{Seq } c_2 (\text{While } \text{tst } c_1) \wedge d = \text{Seq } d_2 (\text{While } \text{tst } d_1) \wedge c_2 \approx_s d_2 \wedge c_1 \approx_s d_1$ .  $\square$

**EXAMPLE 4.** The informal arguments in Examples 1 and 3 can be made rigorous using the compositionality table in Figure 4 in conjunction with the implication graph in Figure 3. For instance,  $c_4$  from Example 1 has the form  $\text{Seq } (l := 4) c_3$ , where  $c_3$  has the form  $\text{If } (h = 0) (\text{Seq } (h := 1) (h := 2)) (h := 3)$ . According to the table, for  $c_4 \approx_{\text{oi}} c_4$ , it suffices that  $(l := 4) \approx_{\text{oiT}} (l := 4)$  and  $c_3 \approx_{\text{oi}} c_3$ . The former is true by the table, since  $l := 4$  is compatible. However, the table cannot help (yet) in proving  $c_3 \approx_{\text{oi}} c_3$ , because there the required side condition is  $\text{cpt } (h = 0)$ , which does not hold. Therefore we turn to the implication graph, and try to prove the fact for one of the predecessors of  $\approx_{\text{oi}}$ . One predecessor is  $\approx_{\text{oiT}}$ , which again requires  $\text{cpt } (h = 0)$ , and so does its predecessor  $\approx_s$ , and so does the predecessor of the latter,  $\text{iso}$ , which is a bottom node—therefore this path fails. The other predecessor of  $\approx_{\text{oi}}$  is  $\text{discr}$ , for which the table does not require the problematic side-condition. And the proof of  $\text{discr } c_3$  goes smoothly according to the table, since it is reduced to  $\text{discr } (\text{Seq } (h :=$

1) ( $h := 2$ ) and  $\text{discr } (h := 3)$ , and further to  $\text{discr } (h := 1)$ ,  $\text{discr } (h := 2)$  and  $\text{discr } (h := 3)$ , all being true by  $\sim$ -preservation.

Note that we appeal to the Figure 3 graph whenever the table result is not sufficiently strong, i.e., the given security notion is not sufficiently compositional w.r.t. the given language construct. For this table-and-graph proof technique, it is instructive to compare the termination-sensitive security notions with the termination-insensitive ones, that is,  $\varphi$  with  $\psi$  in Figure 4.  $\varphi$  is more compositional than  $\psi$  w.r.t. Seq. (In fact, if interactivity is responsible for Par-compositionality, termination-sensitiveness can be deemed responsible for Seq-compositionality.) Indeed, for  $\psi$  (Seq  $c_1$   $c_2$ ) to go through, the table requires strengthening  $\psi$  either for  $c_1$  to its termination-sensitive variant,  $\psi_T$ , or for  $c_2$  to discreteness. A consequence of this is also the lack of compositionality of  $\psi$  w.r.t. While (since the semantics of While involves iteration of Seq). On the other hand,  $\psi$  enjoys better compositionality w.r.t. If. This is not visible by looking at the table alone, where the If rules of  $\varphi$  and  $\psi$  are the same, and they are both conditioned by the  $\sim$ -compatibility of  $tst$ . The difference appears when  $tst$  is not compatible—then, according to the graph, unlike  $\varphi$ ,  $\psi$  can “fall back” on  $\text{discr}$ , which does not require  $tst$  to be compatible. Indeed, unlike  $\varphi$ ,  $\psi$  is above  $\text{discr}$  in the graph. Note that, among the  $\varphi$ 's,  $\approx_{\text{WT}}$  is the best located with this respect, since it is above the conjunction of  $\text{discr } c$  and  $\text{mayT } c$  in the graph. But this is still worse than  $\psi$ , since falling back on  $\text{discr } c \wedge \text{mayT } c$  forbids while loops, as shown in the table for  $\text{mayT}$ .

An interesting theoretical question is whether we can have the best of both worlds and define a relation that is both above discreteness in the graph and fully compositional w.r.t. Seq, without sacrificing compositionality with the other constructs. A positive answer to this question is presented next.

## 5. A MORE COMPOSITIONAL SECURITY NOTION

The rough idea of the proposed solution is as follows. If we knew that the whole program terminates, then discreteness would imply  $\approx_{\text{WT}}$ . And to integrate termination information into our coinductive interactivity, we note that, given a thread  $c$  running in parallel with others in a pool whose execution from a given state  $s$  is known to terminate, the following are true: (1) the execution of  $c$  alone starting in  $s$  must terminate; (2) between resumption points of the execution of  $c$ , the other threads are guaranteed to change the state in such a way that termination is preserved. This leads us to  $\approx_T$ , a relaxation of  $\approx_{\text{WT}}$  with interactivity restricted to  $\text{mustT}$  (“must terminate”) configurations, where  $\text{mustT}(c, s)$  is defined to mean that there exists no infinite chain  $(c_0, s_0), \dots, (c_n, s_n), \dots$  such that  $(c_0, s_0) = (c, s)$  and  $\forall i. (c_i, s_i) \rightarrow_c (c_{i+1}, s_{i+1})$ :

$$\begin{aligned} \text{---match}_{\text{TMC}}^c \theta c d &\equiv \forall s t c' s'. \text{mustT}(c, s) \wedge \text{mustT}(d, t) \wedge s \sim t \wedge (c, s) \rightarrow_c (c', s') \\ &\implies (\exists d' t'. (d, t) \rightarrow_c^* (d', t') \wedge s' \sim t' \wedge \theta c' d') \\ \text{---match}_{\text{TMT}}^T c d &\equiv \forall s t s'. \text{mustT}(c, s) \wedge \text{mustT}(d, t) \wedge s \sim t \wedge (c, s) \rightarrow_T s' \\ &\implies (\exists t'. (d, t) \rightarrow_T^* t' \wedge s' \sim t') \\ \text{---} c \approx_T d &\equiv \text{match}_{\text{TMC}}^c (\approx_T) c d \wedge \text{match}_{\text{TMT}}^T c d \end{aligned}$$

And, indeed,  $\approx_T$  achieves the targeted properties, as can be shown by an argument similar to those of Propositions 2 and 3:




Figure 5: Simplified implication graph of security notions




Figure 6: Syntactic implications

PROPOSITION 4.

- (1) The compositionality facts stated in Figure 4 for  $\varphi$  also hold for  $\approx_T$ .
- (2)  $\text{discr } c \implies c \approx_T c$  and  $\approx_{WT} c \implies c \approx_T c$

PROOF. (1): Similarly to Proposition 3.

- (2) Similarly to Proposition 2.  $\square$

Note that  $\approx_T$  does not require, for the involved programs, termination (a liveness property), but rather preservation of termination (a safety property).  $\approx_T$  is weaker than  $\approx_{WT}$ , and neither weaker nor stronger than  $\approx_{01}$  and  $\approx_W$ . The benefit of having  $\approx_T$  better suited than the other notions w.r.t. our table-and-graph reasoning is the availability of a more permissive syntactic criterion, as we detail next.

## 6. SYNTACTIC CRITERIA

The (compositionality based) table-and-graph proof technique described in Example 4 can be automated, yielding a collection of recursive syntactic predicates corresponding to the various security notions. The recursive clauses for these predicates will simply perform the necessary lookups: first in the table, then, if needed, in the graph.

Before listing these clauses, we first simplify the Figure 3 graph, noticing that  $\approx_s$  and  $\approx_{01T}$  are redundant nodes on top of  $\text{siso}$ . Indeed, the compositionality conditions for  $\approx_s$  and  $\approx_{01T}$  from the Figure 4 table are identical to those of all nodes below, hence identical to those of  $\text{siso}$ . This means that, when proving  $c \approx_s c$  or  $c \approx_{01T} c$ , one cannot do better than proving compositionality of the stronger (more desirable)  $\text{siso}$  notion of security. We therefore drop  $\approx_s$  and  $\approx_{01T}$  from the graph. Figure 5 shows this new graph, where  $\approx_T$  is also integrated. In the Figure 4 table, we also redefine  $\psi_T$  by redirecting  $\approx_{01}$  to  $\text{siso}$ :

$$\psi_T \equiv \begin{cases} \text{siso}, & \text{if } \psi = \approx_{01} \\ \approx_{WT}, & \text{if } \psi = \approx_W. \end{cases}$$

Let us introduce some notation for the Figure 4 table and the Figure 5 graph. A (syntactic) *constructor*  $Cns$  is any of the following:  $\text{Seq}$ ,  $\text{If } tst$  where  $tst \in \mathbf{test}$ ,  $\text{While } tst$  where  $tst \in \mathbf{test}$ ,  $\text{Par}$ . In addition, for uniformity, we also introduce a constructor  $\text{Atm } atm$  for

every  $atm \in \mathbf{atom}$ , and assume  $\text{Atm } atm$  is the same as  $atm$ . Thus, any command  $c$  has the form  $Cns\ c_1 \dots c_k$ , where  $Cns$  is a constructor and  $c_1 \dots c_k$  are  $k$  commands, the *components* of  $c$ , with  $k$  either 0, 1 or 2, depending on  $Cns$  (it is 0 for  $\text{Atm } atm$ ).

Henceforth, we let  $\chi$  range over the notions in the table, namely,  $\chi \in \{\text{mayT}, \text{discr}, \text{siso}, \approx_s, \approx_{01T}, \approx_{WT}, \approx_{01}, \approx_w, \approx_T\}$ . The table has an entry corresponding to every combination  $(\chi, Cns)$ , for which we define the following:

- $\text{side}_{\chi, Cns}$  is its *side condition*, i.e., the part of it not depending on the components. If this part is empty, we put  $\text{True}$ . E.g.,  $\text{side}_{\text{mayT}, \text{Atm } atm} = \text{side}_{\text{siso}, \text{Seq}} = \text{True}$ ,  $\text{side}_{\text{siso}, \text{If } tst} = \text{cpt } tst$ .
- $\text{rcond}_{\chi, Cns}(c_1, \dots, c_k)$  is its *recursion condition*, i.e., the part involving the components of  $c$ . Again, if this part is empty, we put  $\text{True}$ . E.g.,  $\text{rcond}_{\text{mayT}, \text{Atm } atm} = \text{True}$ ,  $\text{rcond}_{\text{siso}, \text{Seq}}(c_1, c_2) = \text{rcond}_{\text{siso}, \text{If } tst}(c_1, c_2) = (\text{siso } c_1 \wedge \text{siso } c_2)$ .

For any element  $\chi$  in the graph, we let  $\text{Pred } \chi$  denote its set of predecessors. E.g.,  $\text{Pred } \text{siso} = \emptyset$ ,  $\text{Pred } \approx_{01} = \{\text{discr}, \text{siso}\}$ ,  $\text{Pred } \approx_w = \{\approx_{01}, \approx_{WT}\}$ .

Note that, for all  $\chi, Cns$ , and  $c$  of the form  $Cns\ c_1 \dots c_k$ ,

- The table ensures that  $\text{side}_{\chi, Cns} \wedge \text{rcond}_{\chi, Cns}(c_1, \dots, c_k) \implies \chi\ c$ ;
- The graph ensures that  $(\bigvee_{\chi' \in \text{Pred } \chi} \chi'\ c) \implies \chi\ c$ .

We define, for each security notions  $\chi$ , a syntactic predicate  $\overline{\chi}$  on commands by turning the above implications into recursive clauses for each constructor  $Cns$ , where one first tries the table, and then, if the table fails, one tries the graph:

$$\overline{\chi}(Cns\ c_1 \dots c_k) \equiv \begin{cases} \overline{\text{rcond}_{\chi, Cns}}(c_1, \dots, c_k), & \text{if } \text{side}_{\chi, Cns}(c_1, \dots, c_k), \\ \bigvee_{\chi' \in \text{Pred } \chi} \overline{\chi'}(Cns\ c_1 \dots c_k), & \text{otherwise,} \end{cases}$$

where  $\overline{\text{rcond}_{\chi, Cns}}$  is  $\text{rcond}_{\chi, Cns}$  with all the involved security predicates  $\chi'$  replaced by their syntactic counterparts  $\overline{\chi'}$ .

We define the above  $\overline{\chi}$ 's one at a time, traversing the graph in Figure 5 bottom-up, in some order consistent with the graph. Thus, at the time we define some  $\overline{\chi}$ , we have  $\overline{\chi'}$  available for all  $\chi' \in \text{Pred } \chi$ .

For example, taking  $Cns = \text{If } tst$ , we have:

- (1)  $\overline{\text{discr}}(\text{If } tst\ c_1\ c_2) = (\overline{\text{discr}}\ c_1 \wedge \overline{\text{discr}}\ c_2)$ .
- (2)  $\overline{\text{siso}}(\text{If } tst\ c_1\ c_2) = \begin{cases} \overline{\text{siso}}\ c_1 \wedge \overline{\text{siso}}\ c_2, & \text{if } \text{cpt } tst \\ \text{False}, & \text{otherwise.} \end{cases}$
- (3)  $\overline{\approx_{01}}(\text{If } tst\ c_1\ c_2) = \begin{cases} \overline{\approx_{01}}\ c_1 \wedge \overline{\approx_{01}}\ c_2, & \text{if } \text{cpt } tst \\ \overline{\text{discr}}(\text{If } tst\ c_1\ c_2) \vee \overline{\text{siso}}(\text{If } tst\ c_1\ c_2), & \text{otherwise} \end{cases}$   
 $= (\text{by 1 and 2}) = \begin{cases} \overline{\approx_{01}}\ c_1 \wedge \overline{\approx_{01}}\ c_2, & \text{if } \text{cpt } tst \\ \overline{\text{discr}}\ c_1 \wedge \overline{\text{discr}}\ c_2, & \text{otherwise.} \end{cases}$

(Recall that, when we instantiate  $\chi$  to a bisimilarity such as  $\approx_{WT}$ , we refer to its unary version, taking  $\chi\ c$  to be  $c \approx_{WT} c$ . Hence, an instance of  $\overline{\chi}$  is the unary predicate  $\overline{\approx_{WT}}$ .)

**PROPOSITION 5.** The syntactic criteria  $\overline{\chi}$  are sound for the security notions  $\chi$  in Figure 5, in that  $\overline{\chi}\ c \implies \chi\ c$  for all commands  $c$ .

**PROOF.** We prove  $\overline{\chi}\ c \implies \chi\ c$  separately, for each  $\chi$ , observing the implication-graph order: we prove the fact for  $\chi$  only after it has been proved for all  $\chi' \in \text{Pred } \chi$ . With the semantic implication and compositionality results in place, the facts follow by structural

induction on  $c$ . Schematically, assuming inductively that  $c$  has the form  $Cns\ c_1 \dots c_k$  and  $\overline{\chi}\ c$  holds, we distinguish 2 cases:

- If  $\text{side}_{\chi, Cns}(c_1, \dots, c_k)$  holds, then  $\overline{\chi}\ c = \overline{\text{rcond}_{\chi, Cns}}(c_1, \dots, c_k)$ . By the induction hypothesis  $\text{rcond}_{\chi, Cns}(c_1, \dots, c_k)$  implies  $\overline{\text{rcond}_{\chi, Cns}}(c_1, \dots, c_k)$ , which in turn, by Proposition 3 or 4(1), implies  $\chi\ (Cns\ c_1 \dots c_k)$ , i.e.,  $\chi\ c$ . Thus,  $\overline{\chi}\ c \implies \chi\ c$ .
- If  $\text{side}_{\chi, Cns}(c_1, \dots, c_k)$  does not hold, then  $\overline{\chi}\ c = \bigvee_{\chi' \in \text{Pred}\ \chi} \overline{\chi'}\ c$ . Since we assume the fact proved for the predecessor of  $\chi$ ,  $\bigvee_{\chi' \in \text{Pred}\ \chi} \overline{\chi'}\ c$  implies  $\bigvee_{\chi' \in \text{Pred}\ \chi} \chi'\ c$ , which in turn, by Proposition 2 or 4(2), implies  $\chi\ c$ . Thus, again  $\overline{\chi}\ c \implies \chi\ c$ .

This concludes the proof.  $\square$

A remarkable property of the  $\overline{\chi}$ 's is that they preserve the Figure 5 hierarchy of  $\chi$ 's. Even more remarkable is that they actually refine it. The hierarchy refinement from Figure 5 to Figure 6 consists of the advance of  $\overline{\approx}_{\top}$  to the top, even though  $\approx_{\top}$  is not weaker than  $\approx_w$  or  $\approx_{01}$ .

**PROPOSITION 6.** The implications listed in Figure 6 hold.

**PROOF.** Let  $\overline{\varphi}$  and  $\chi$  be such that  $\overline{\varphi}$  is located below  $\overline{\chi}$  in the Figure 6 graph. We have 2 cases.

Case 1:  $\overline{\varphi}$  is also located below  $\chi$  in the implication graph of Figure 5, (which means, by Proposition 3 or 4(1), that  $\forall d. \overline{\varphi}\ d \implies \chi\ d$ ). There are 2 crucial facts to notice about the recursive clauses for  $\overline{\varphi}$  and  $\overline{\chi}$ :

- (1)  $\text{side}_{\chi, Cns}(c_1, \dots, c_k) \implies \text{side}_{\overline{\varphi}, Cns}(c_1, \dots, c_k)$
- (2) Assuming  $\text{side}_{\chi, Cns}(c_1, \dots, c_k)$  holds and  $\forall i \in \{1, \dots, k\}. \overline{\varphi}\ c_i \implies \overline{\chi}\ c_i$ , then  $\text{rcond}_{\overline{\varphi}, Cns}(c_1, \dots, c_k) \implies \text{rcond}_{\overline{\chi}, Cns}(c_1, \dots, c_k)$ .

We now prove  $\overline{\varphi}\ c \implies \overline{\chi}\ c$  by induction on  $c$ . Assume inductively that  $c$  has the form  $Cns\ c_1 \dots c_k$ . If  $\text{side}_{\chi, Cns}(c_1, \dots, c_k)$  does not hold, then  $\overline{\chi}\ c = \bigvee_{\chi' \in \text{Pred}\ \chi} \overline{\chi'}\ c$  and the proof is done, since  $\overline{\varphi} \in \text{Pred}\ \chi$ . On the other hand, if  $\text{side}_{\chi, Cns}(c_1, \dots, c_k)$  holds, then, by (1),  $\text{side}_{\overline{\varphi}, Cns}(c_1, \dots, c_k)$  also holds. Thus  $\overline{\varphi}\ c = \text{rcond}_{\overline{\varphi}, Cns}(c_1, \dots, c_k)$  and  $\overline{\chi}\ c = \text{rcond}_{\overline{\chi}, Cns}(c_1, \dots, c_k)$ , and hence the desired fact follows from the induction hypothesis and (2).

Case 2:  $\overline{\varphi} = \approx_w$  and  $\chi = \approx_{\top}$ . We first prove

- (3)  $\overline{\approx}_{01}\ c \implies \overline{\approx}_{\top}\ c$ ,

by induction on  $c$ . Assume inductively that  $c$  has the form  $Cns\ c_1 \dots c_k$ .

First assume  $\text{side}_{\approx_{01}, Cns}(c_1, \dots, c_k)$  holds. Then so does  $\text{side}_{\approx_{\top}, Cns}(c_1, \dots, c_k)$  (immediate verification). Thus,  $\overline{\approx}_{01}\ c = \text{rcond}_{\approx_{01}, Cns}(c_1, \dots, c_k)$  and  $\overline{\approx}_{\top}\ c = \text{rcond}_{\approx_{\top}, Cns}(c_1, \dots, c_k)$ . If  $Cns \neq \text{Seq}$ , then the desired fact follows by the induction hypothesis. If  $Cns = \text{Seq}$ , then the desired fact follows from the induction hypothesis together with two facts already proved at Case 1, namely,  $\forall d. \overline{\text{discr}}\ d \implies \overline{\approx}_{\top}\ d$  and  $\forall d. \overline{\approx}_{w\top}\ d \implies \overline{\approx}_{\top}\ d$ .

Next assume  $\text{side}_{\approx_{01}, Cns}(c_1, \dots, c_k)$  does not hold. Then  $\overline{\approx}_{01}\ c = \bigvee_{\chi' \in \text{Pred}\ \approx_{01}} \overline{\chi'}\ c$ , and from Case 1 we know that  $\overline{\chi'}\ c \implies \overline{\approx}_{\top}\ c$  for all  $\chi' \in \text{Pred}$ , hence the desired fact follows.

Finally, we prove  $\overline{\approx}_w\ c \implies \overline{\approx}_{\top}\ c$  by induction on  $c$ . The proof goes similarly to that of (3), but now using  $\forall d. \overline{\approx}_{01}\ d \implies \overline{\approx}_{\top}\ d$  (i.e., fact (3)) and  $\forall d. \overline{\approx}_{w\top}\ d \implies \overline{\approx}_{\top}\ d$  in case  $\text{side}_{\approx_w, Cns}(c_1, \dots, c_k)$  holds and  $Cns = \text{Seq}$ .  $\square$

Note that the rationale behind why  $\overline{\approx}_{\top}$  “wins the battle” against  $\overline{\approx}_{01}$  and  $\overline{\approx}_w$ , advancing above them in the syntactic graph (in spite of its semantic counterpart  $\approx_{\top}$  not being above

$\approx_{01}$  or  $\approx_w$  the semantic graph), is that, on the one hand,  $\approx_T$  is more compositional than  $\approx_{01}$  and  $\approx_w$ , and, on the other, it dominates their (semantic) graph predecessors.

So far, our analysis was purely semantic and local: for semantic notions of security  $\chi$ , we studied compositionality w.r.t. each language construct, inferring from these syntactic criteria  $\bar{\chi}$  automatically. Now it is time to have a closer look at the recursive clauses of  $\bar{\chi}$  and see what they tell us about  $\bar{\chi}$  independently of  $\chi$ . First the easy cases:

— $\overline{\text{mayT}} c$  holds iff  $c$  does not contain while loops.

— $\overline{\text{discr}} c$  holds iff all atoms in  $c$  are  $\sim$ -preserving, a.k.a. high.

— $\overline{\text{siso}} c$  holds iff all tests in  $c$  are  $\sim$ -compatible, a.k.a. low, and all atoms are  $\sim$ -compatible.

$\overline{\text{siso}} c$  corresponds to a type system from Smith and Volpano [40] for scheduler independent security – this criterion is extremely harsh, forbidding high tests at If and While.

We now move to the more interesting cases.  $\overline{\approx_{WT}} c$  is equivalent to another, possibilistic type system from Smith and Volpano [40]. Here, high tests are allowed at If provided the branches are discreet, but are disallowed at While:  $\overline{\approx_{WT}} (\text{While } tst \ c) =$

$$\begin{cases} \overline{\approx_{WT}} c, & \text{if cpt } tst \\ \overline{\text{discr}} (\text{While } tst \ c) \wedge \overline{\text{mayT}} (\text{While } tst \ c), & \text{otherwise} \end{cases} = \begin{cases} \overline{\approx_{WT}} c, & \text{if cpt } tst \\ \text{False}, & \text{otherwise.} \end{cases}$$

The above harsh condition on While is the starting point of work by Boudol and Castellani in [6, 7], where a type system equivalent to  $\overline{\approx_{01}}$  is introduced.  $\overline{\approx_{01}}$  allows high tests for While provided the body of the While is discreet. This is possible because, unlike  $\overline{\approx_{WT}}$ ,  $\overline{\approx_{01}}$  can fall back on  $\overline{\text{discr}}$ :

$$\overline{\approx_{01}} (\text{While } tst \ c) = \overline{\text{discr}} (\text{While } tst \ c) \vee \overline{\text{siso}} (\text{While } tst \ c) = \overline{\text{discr}} c \vee (\text{cpt } tst \wedge \overline{\text{siso}} c).$$

However, the price for this is a harsher clause for Seq (as we have seen, a limitation shared by all termination-insensitive notions). Indeed,  $\overline{\approx_{WT}}$  commutes smoothly with Seq as  $\overline{\approx_{WT}} (\text{Seq } c_1 \ c_2) = (\overline{\approx_{WT}} c_1 \wedge \overline{\approx_{WT}} c_2)$ , but  $\overline{\approx_{01}}$  needs either  $\overline{\text{siso}}$  on the left or  $\overline{\text{discr}}$  on the right:  $\overline{\approx_{01}} (\text{Seq } c_1 \ c_2) = (\overline{\text{siso}} c_1 \wedge \overline{\approx_{01}} c_2) \vee (\overline{\approx_{01}} c_1 \wedge \overline{\text{discr}} c_2)$ .

Thus,  $\overline{\approx_{01}}$  requires that either  $c_1$  has only low tests, or  $c_2$  has only high atoms. Hence, e.g., the command  $c_5$  from Example 1 is accepted by  $\overline{\approx_{WT}}$ , but rejected by  $\overline{\approx_{01}}$ .

An improvement of  $\overline{\approx_{01}}$  that accepts  $c_5$  also is proposed by Boudol in [5], where the idea is that, in the  $c_1$  part of Seq  $c_1 \ c_2$ , one should no longer restrict to low tests everywhere, but rather only in places that may affect termination (i.e., inside While loops). Interestingly, this condition on  $c_1$  is the one imposed by  $\overline{\approx_{WT}}$ , and therefore the approach of [5] can be seen as a carefully designed combination of  $\overline{\approx_{WT}}$  and  $\overline{\approx_{01}}$ . Remarkably, it turns out to be equivalent to  $\overline{\approx_w}$ , whose Seq clause is:  $\overline{\approx_w} (\text{Seq } c_1 \ c_2) = (\overline{\approx_{WT}} c_1 \wedge \overline{\approx_w} c_2) \vee (\overline{\approx_w} c_1 \wedge \overline{\text{discr}} c_2)$ .

In the above cited work, the soundness theorems for the proposed type systems (results corresponding to Proposition 5) are given rather elaborate proofs, defining global bisimulation relations that involve multiple language constructs combined in ingenious and ad hoc ways. These proofs are often hard to understand and mechanize. Moreover, they are not exploiting the uniformities, commonalities and inter-dependencies of the various approaches. By contrast, our proof methodology is entirely local and uniform: we choose a language construct and a notion of security, and essentially do our best at proving (partial) compositionality. Then syntactic criteria follow automatically by our table-and-graph method. We were pleasantly surprised to find that this general method could capture such a variety of ad hoc results. Note that these criteria are expressed not *relationally*, as type systems, but *functionally*, as recursively defined operators on syntax, which makes them trivially syntax-directed.

Finally, we discuss  $\overline{\approx}_\tau$ , which is our own novel type-system-like criterion for noninterference. It turns out to be a natural extension of the original Volpano-Smith-Irvine typing of sequential programs [43], using the same clauses for the sequential part together with  $\overline{\approx}_\tau (\text{Par } c_1 \ c_2) = (\overline{\approx}_\tau c_1 \wedge \overline{\approx}_\tau c_2)$ . The reason why such a natural type system is absent from the literature is probably that its associated semantic notion of security,  $\approx_\tau$ , was overlooked.

$\overline{\approx}_\tau$  accepts the commands  $c_7$  from Example 1 and  $d \equiv c_7 \parallel l := 5$ , while the most permissive criterion studied so far,  $\overline{\approx}_w$ , rejects them. However, as discussed, the security property that  $\overline{\approx}_\tau$  guarantees,  $\approx_\tau$ , is different from  $\approx_w$ , the main restriction of  $\approx_\tau$  being that it only makes sense under the termination assumption. Thus,  $\overline{\approx}_\tau$  provides a useful guarantee for  $c_7$  and  $d$  only in cases when the initial state  $s$  ensures termination, here, if it has  $h \geq 0$ . On the other hand,  $\overline{\approx}_w$  rejects  $d$  out of fear that its  $c_7$  component may not terminate, which would yield the pipelining of the  $c_7$  termination channel into a standard channel for  $d$ . Termination knowledge excludes such behavior, and this is where the new criterion  $\overline{\approx}_\tau$  is advantageous.

## 7. AFTER-EXECUTION NONINTERFERENCE

The bisimilarity-based notions of security studied so far are rather complex, assuming an elaborate attacker model that interacts continuously with program execution—we call these *during-execution* noninterference. Often one is interested in a more tractable notion, as an input-to-output property, such as: a command is secure if, upon execution starting in indistinguishable states, the result states (after the command has finished executing) are again indistinguishable. We call such input-to-output properties *after-execution* noninterference.

So what are the after-execution guarantees of the various bisimilarities from Section 3? To answer this, we need some terminology. Given a configuration  $(c, s)$ :

- A *finite execution trace starting in  $(c, s)$*  (*finite  $(c, s)$ -trace* for short) is a finite sequence of the form  $(c_0, s_0), (c_1, s_1), \dots, (c_{n-1}, s_{n-1}), s_n$  (consisting of a number of configurations followed by a state) such that  $(c_0, s_0) = (c, s)$ ,  $(c_i, s_i) \rightarrow_c (c_{i+1}, s_{i+1})$  for all  $i < n-1$ , and  $(c_{n-1}, s_{n-1}) \rightarrow_\tau s_n$ . Then  $n$  is said to be the *length* of the trace and  $s_n$  the *final state* of the trace.
- An *infinite execution trace starting in  $(c, s)$*  (*infinite  $(c, s)$ -trace* for short) is an infinite sequence of the form  $(c_0, s_0), (c_1, s_1), \dots$  (consisting of configurations only) such that  $(c_0, s_0) = (c, s)$  and  $\forall i. (c_i, s_i) \rightarrow_c (c_{i+1}, s_{i+1})$ .

Given a finite  $(c, s)$ -trace  $tr$ ,  $\text{length}(tr)$  denotes its length and  $\text{fstate}(tr)$  denotes its final state. Thus, finite  $(c, s)$ -traces represent the terminating computations starting in  $(c, s)$ , and infinite  $(c, s)$ -traces the divergent computations starting in  $(c, s)$ . Note that  $(c, s)$  “must terminate” (as defined in Section 5) iff there exist no infinite  $(c, s)$ -traces.

We first need to establish a property of the “weak” notions of bisimilarity concerning matching multi-steps by suitable multi-steps:

### PROPOSITION 7.

- (1) If  $c \approx_{w\tau} d$ ,  $s \sim t$  and  $(c, s) \rightarrow_c^* (c', s')$ , then there exist  $d'$  and  $t'$  such that  $(d, t) \rightarrow_c^* (d', t')$ ,  $s' \sim t'$ , and  $c' \approx_{w\tau} d'$ .
- (2) If  $c \approx_{w\tau} d$ ,  $s \sim t$  and  $(c, s) \rightarrow_\tau^* s'$ , then there exists  $t'$  such that  $(d, t) \rightarrow_\tau^* t'$  and  $s' \sim t'$ .
- (3) If  $c \approx_w d$ ,  $s \sim t$  and  $(c, s) \rightarrow_c^* (c', s')$ , then one of the following holds:

- discr  $c'$  holds and there exists  $t'$  such that  $(d, t) \rightarrow_{\tau}^* t'$  and  $s' \sim t'$ .
  - There exist  $d'$  and  $t'$  such that  $(d, t) \rightarrow_c^*(d', t')$ ,  $s' \sim t'$ , and  $c' \approx_w d'$ .
- (4) If  $c \approx_w d$ ,  $s \sim t$  and  $(c, s) \rightarrow_{\tau}^* s'$ , then one of the following holds:
- There exists  $t'$  such that  $(d, t) \rightarrow_{\tau}^* t'$  and  $s' \sim t'$ .
  - There exist  $d'$  and  $t'$  such that  $(d, t) \rightarrow_c^*(d', t')$ ,  $s' \sim t'$ , and  $\text{discr } d$ .
- (5) If  $\text{mustT } c$ ,  $\text{mustT } d$ ,  $c \approx_{\tau} d$ ,  $s \sim t$  and  $(c, s) \rightarrow_c^*(c', s')$ , then there exist  $d'$  and  $t'$  such that  $(d, t) \rightarrow_c^*(d', t')$ ,  $s' \sim t'$ , and  $c' \approx_{\tau} d'$ .
- (6) If  $\text{mustT } c$ ,  $\text{mustT } d$ ,  $c \approx_{\tau} d$ ,  $s \sim t$  and  $(c, s) \rightarrow_{\tau}^* s'$ , then there exists  $t'$  such that  $(d, t) \rightarrow_{\tau}^* t'$  and  $s' \sim t'$ .

PROOF. (1), (3), (5): By a straightforward induction on the the definition of  $\rightarrow_c^*$ , using the definitions of the matchers involved in  $\approx_{\text{WT}}$ ,  $\approx_w$  and  $\approx_{\tau}$ .

(2), (4), (6): From (1), (3) and (5), respectively, using again the definitions of the involved matchers.  $\square$

As a technical tool for the proofs that follow, we define a *partial trace* to be a finite sequence of the form  $(c_0, s_0), (c_1, s_1), \dots, (c_{n-1}, s_{n-1})$  such that  $(c_0, s_0) = (c, s)$  and  $(c_i, s_i) \rightarrow_c (c_{i+1}, s_{i+1})$  for all  $i < n - 1$ . Note that any finite trace consists of a partial trace as above together with a terminating state  $s_n$ , such  $(c_{n-1}, s_{n-1}) \rightarrow_{\tau} s_n$ .

We can now to prove the following about the termination-sensitive bisimilarities:

PROPOSITION 8.

- (1) If  $c \approx_s c$  and  $s \sim t$ , then, for every finite  $(c, s)$ -trace  $tr$ , there exists a finite  $(c, t)$ -trace  $tr'$  with  $\text{fstate}(tr') \sim \text{fstate}(tr)$  and  $\text{length}(tr') = \text{length}(tr)$ .
- (2) If  $c \approx_{01\text{T}} c$  and  $s \sim t$ , then, for every finite  $(c, s)$ -trace  $tr$ , there exists a finite  $(c, t)$ -trace  $tr'$  with  $\text{fstate}(tr') \sim \text{fstate}(tr)$  and  $\text{length}(tr') \leq \text{length}(tr)$ .
- (3) If  $c \approx_{\text{WT}} c$  and  $s \sim t$ , then, for every finite  $(c, s)$ -trace  $tr$ , there exists a finite  $(c, t)$ -trace  $tr'$  with  $\text{fstate}(tr') \sim \text{fstate}(tr)$ .

PROOF. As usual, we prove the facts in the more general binary format, e.g.:

If  $c \approx_s d$  and  $s \sim t$ , then, for every finite  $(c, s)$ -trace  $tr$ , there exists a finite  $(d, t)$ -trace  $tr'$  with  $\text{fstate}(tr') \sim \text{fstate}(tr)$  and  $\text{length}(tr') = \text{length}(tr)$ .

(1) and (2): We first prove these facts for partial traces instead of finite traces, by a straightforward induction on the partial trace  $tr$ . Then the facts for finite traces follow from  $\approx_s$  and  $\approx_{01\text{T}}$ . matching terminating steps with terminating steps.

(3): From Proposition 7(2), using the correspondence between terminating traces starting at  $(c, s)$  and ending at  $s'$  and terminating multi-steps  $(c, s) \rightarrow_{\tau}^* s'$ .  $\square$

Thus, for self strongly bisimilar commands, terminating executions starting in indistinguishable states have, up to indistinguishability, the same outcomes, obtained in the same amount of time—this means both standard (low data) channels and timing channels are secure here. For self weakly T-bisimilar commands, again the outcomes are the same up to indistinguishability, but timing channels are no longer secured. As usual, 01T-bisimilarity lies in between—there is a time guarantee, but weaker than perfect synchronization.

Now, turning to the termination-insensitive notions, during-execution security faces the difficulty that here terminating executions need not be matched by terminating executions. However, we can still prove a termination-conditioned result:

PROPOSITION 9. If  $\forall s'. \text{mustT } (c, s')$  holds, then Proposition 8(3) holds with any of  $\approx_{01}$  and  $\approx_w$  substituted for  $\approx_{\text{WT}}$ .

PROOF. Again, we prove the more general, binary facts, e.g.: If  $\forall t'. \text{mustT}(d, t')$  holds,  $c \approx_w d$  and  $s \sim t$ , then, for every finite  $(c, s)$ -trace  $tr$ , there exists a finite  $(d, t)$ -trace  $tr'$  with  $\text{fstate}(tr') \sim \text{fstate}(tr)$ .

Assuming  $c \approx_w d$ ,  $s \sim t$  and given a trace  $tr$  starting at  $(c, s)$  and ending at  $s'$ , by Proposition 7(4) we have two cases:

- There is a trace starting at  $(d, t)$  and ending at some  $t'$  with  $s' \sim t'$ . Then we are done.
- There is a partial trace  $tr'$  starting at  $(d, t)$  and ending at some  $(d', t')$  with  $s' \sim t'$  and  $\text{discr } d'$ . By our must-terminate assumption and Proposition 1, there is a trace  $tr''$  from  $(d', t')$  to some state  $t''$ . By the discreteness of  $d'$ , we have  $t'' \sim t'$ , hence  $t'' \sim s'$ . Therefore,  $tr' \cdot tr''$ , the concatenation of  $tr'$  and  $tr''$ , is the desired trace matching  $tr$ .

For  $\approx_{01}$ , the proof is similar, but the first step, namely, that obtaining the partial trace  $tr'$ , requires induction on  $tr$ .  $\square$

Thus, in the termination-insensitive case, the after-execution distinction between 01- and weak bisimilarity vanishes. As for the after-execution guarantee of our termination-sensitive security notion  $\approx_{\tau}$  from Section 5, it is weaker than that of  $\approx_{\text{WT}}$  (Proposition 8(3)), but stronger than that of  $\approx_{01}$  and  $\approx_w$  (Proposition 9):

PROPOSITION 10. If  $\text{mustT}(c, s)$  holds, then Proposition 8(3) holds with  $\approx_{\tau}$  substituted for  $\approx_{\text{WT}}$ .

PROOF. We prove the binary fact: If  $\text{mustT}(c, s)$ ,  $\text{mustT}(d, t)$ ,  $c \approx_w d$  and  $s \sim t$ , then, for every finite  $(c, s)$ -trace  $tr$ , there exists a finite  $(d, t)$ -trace  $tr'$  with  $\text{fstate}(tr') \sim \text{fstate}(tr)$ .

The fact follows from Proposition 7(6).  $\square$

## 8. ISABELLE FORMALIZATION

The results presented in this paper have been formalized in Isabelle/HOL. In this section we give an overview of this development, which is publicly available in the Isabelle Archive of Formal Proofs [27].

### 8.1 Theory Structure of the Formalization

There are two auxiliary theories:

- MyTactics, introducing a few customized tactics;
- Bisim, describing an abstract notion of bisimilarity relation, namely, the greatest symmetric relation that is a fixpoint of a monotonic operator—this is later instantiated to several concrete bisimilarity.

The main theories of the development (shown in Figure 7) are organized similarly to the sectionwise structure of the paper:

Language\_Semantics corresponds to Section 2. It introduces and customizes the syntax and small-step operational semantics of a while language with parallel composition, using notations very similar to the paper.

During\_Execution mainly corresponds to Section 3. It defines the various coinductive notions from there: self isomorphism, discreteness, variations of strong, weak and 01-




Fig. 7: Main Theory Structure

bisimilarity. Proposition 1 from the paper, stating implications between these notions, is proved as the theorems `bis_imp` and `siso_bis`.<sup>5</sup>

Compositionality mainly corresponds to the homonymous Section 4. The paper’s compositionality result, Proposition 3, is scattered through the theory as theorems with self-explanatory names, indicating the compositionality relationship between notions of noninterference and language constructs, e.g., `While_WbisT` (while versus termination-sensitive weak bisimilarity), `Par_ZObis` (parallel composition versus 01-bisimilarity).

Theories `During_Execution` and `Compositionality` also include the novel notion of noninterference  $\approx_{\tau}$  introduced in Section 5, based on the “must terminate” condition, which is given the same treatment as the other notions: `bis_imp` in `During_Execution` states the implication relationships between  $\approx_{\tau}$  and the other bisimilarities (Proposition 4(2)), while various intuitively named theorems from `Language_Semantics` state the compositionality properties of  $\approx_{\tau}$  (Proposition 4(1)).

`Syntactic_Criteria` corresponds to the homonymous Section 6. The syntactic analogues of the semantics notions, indicated in the paper by overlining, e.g., `discr`, are in the scripts prefixed by “SC” (from “syntactic criterion”), e.g., `SC_discr`, `SC_WbisT`. Propositions 5 and 6 from the paper (stating the relationship between the syntactic and the semantic notions and the implications between the syntactic notions, respectively) are again scattered through the theory under self-explanatory names.

`Concrete` contains an instantiation of the indistinguishability relation  $\sim$  to the standard two-level security setting described in the paper’s Example 2.

Finally, `After_Execution` corresponds to Section 7, dealing with the after-execution guarantees of the during-execution notions of security. Proposition 8 in the paper is stated in the scripts as theorems `Sbis_trace`, `ZObisT_trace` and `WbisT_trace`, Proposition 9 as theorems `ZObis_trace` and `Wbis_trace`, and Proposition 10 as theorem `BisT_trace`.

## 8.2 Other Aspects

The Isabelle proofs are essentially detailing the proof sketches shown in the paper. What we deem “trivial” or “straightforward” in the proof sketches is usually handled automatically by Isabelle’s “auto” tactic.

The formal proofs by coinduction, especially those of compositionality facts, were very tedious, having to expand the definition of matchers, apply inversion rules and consider

<sup>5</sup>To help the reader distinguish the main results from the auxiliary lemmas, the former are marked in the scripts with the keyword “theorem”.

several cases. There were two choices that helped keep the proof sizes under control to some extent:

- Taking the greatest fixpoints in the space of *symmetric* binary relations (rather than in that of arbitrary binary relations) allowed us to only consider half of the bisimilarity game: a right step simulating a left step, but not vice versa. In exchange, we had to prove that the bisimulation candidates (i.e., the relations to be proved postfixpoints) were symmetric, which was always immediate.
- Working with generalized coinduction (rather than plain coinduction) allowed us to employ smaller bisimulation candidates, namely, ones that “stop” when reaching bisimilar items. This helped reduce the size of the proofs for operators such as sequential composition and while.

Proofs by coinduction are still not supported in Isabelle as well as they could be. Many goals had a special form, namely, conditional equations with equality being bisimilarity. To put such goals in a form suitable for coinduction, we had to rephrase them employing existential quantification, as in the proof sketch of Proposition 3; the existential quantification is later eliminated. However, a more intuitive proof would proceed directly to unfold the terms of the equation according to the operational semantics—an Isabelle coinduction tactic providing direct unfolding for goals of this pattern would allow shorter and cleaner proofs.

The compositionality results account for about half of the size of the overall development: 2729 lines out of a total of 6221. Of course, not only the length of the proofs, but also the sheer number of facts stated in Figure 4’s table is a contributing factor to this size. An interesting question is whether we would have been better off had we worked schematically, as we informally did in the presentation of this paper: stating and proving facts universally quantified over the set of the considered bisimilarities, having an Isabelle operator  $\_T$  that maps each termination insensitive notion  $\psi$  to its termination-sensitive counterpart  $\psi_T$ , etc. In other words, would it have helped to employ a deep embedding of our informal schemas? We believe the answer is no, due to the substantial bureaucracy associated with switching from such a deep embedding back to the shallow(er) end results.

## 9. CONCLUSIONS AND MORE RELATED WORK

This paper was concerned with systematizing and comparing existing type-system based noninterference results from the literature. As a technical tool, we have introduced a compositionality “table-and-graph” technique able to capture such results in a uniform way. The study also suggested a novel, suitably compositional, notion, the termination-interactive bisimilarity  $\approx_T$ .

Our approach has important precursors in the literature. Thus, [36] makes a strong case for compositionality, and illustrates how it can be used to extend to concurrency a noninterference result [1] in the style of Volpano and Smith. However, [36] does not pursue this idea systematically or devise a general technique as we do in this paper.

Another line of work focusing on compositionality in language-based security is Morgan’s shadow semantics [23, 24], which defines a Hoare-style program logic together with a notion of refinement coping with security. This work, inspired by knowledge logic [12], goes beyond type systems and pure noninterference, allowing one to express and prove interactively complex declassification properties. The approach is currently restricted to nondeterministic sequential programs.

Our bisimilarity-based treatment also employs insight from process algebra [22] in general and from process algebra approaches to noninterference [11] in particular. In system-based security, [12, 15, 21] provide general frameworks for trace-based system security, the last two having a special focus on compositionality and the first also incorporating probabilistic systems.

While the execution traces of programs form systems in the sense of these frameworks, language-based security has developed a specific set of concepts and methods (some of them reviewed in this paper) whose relationship with system security is a nontrivial problem, analyzed in [16, 17, 42]. The Goguen-Meseguer-style trace-based noninterference, an adaptation of which we also employ in this paper, has been challenged in [10], which proposes a refinement of the notion using partial orderings of events to account for collaborating adversaries.

Themes missing from the compositionality framework discussed in this paper are probabilistic noninterference [19, 37–39], dynamic thread creation [19, 36, 44] and scheduler independence [7, 19, 36, 44], known to be particularly problematic w.r.t. noninterference. We have dedicated them a separate study in [28], where we identify a class of schedulers that guarantee probabilistic noninterference of a thread pool assumed to satisfy possibilistic noninterference; the guarantee is valid in the presence of dynamic thread creation. No particular programming language is considered there, but the abstract relationship between scheduler and thread pool is studied in depth.

Amongst previous formalizations of noninterference-like properties, the most closely related to our work are Snelling and Wasserrab’s formalization of the original Volpano-Smith-Irvine type system for single-threaded programs [41] and Barthe and Nieto’s formalization of the Boudol-Castellani approach [4], both in Isabelle. Recently, David Cock [8] has formalized in Isabelle noninterference of a probabilistic scheduler and has discussed its integration with the seL4 operating system kernel verification [14]. In the Coq proof assistant, Nanevski, Banerjee and Garg have formalized the Relational Hoare Type Theory [25], a shallowly embedded framework for establishing security properties on top of a realistic sequential language featuring mutable state and dynamic memory allocation.

An exciting future direction is a framework for proving concurrent noninterference by a combination of automated and interactive methods along the lines of approaches going beyond type systems [3, 9, 18, 23, 24]. This would follow a rely-guarantee paradigm [13], with information about the environment made available to individual threads by suitably relaxing interactivity. A step towards this direction is made by our termination-interactive bisimilarity  $\approx_{\tau}$ , where such context information is termination, but could in principle be any liveness property.

**Acknowledgements.** We are grateful to Jasmin Blanchette for lots of suggestions that have significantly improved the presentation of this paper, to Benedict Nordhoff and Peter Lammich for noticing various technical typos, and to the anonymous reviewers of the conference version for useful comments.

## References

- [1] J. Agat. Transforming out timing leaks. In *POPL*, pages 40–53, 2000.
- [2] J. Baeten and W. Weijland. *Process Algebra*. Cambridge University Press, 1990.

- [3] G. Barthe, P. R. D’Argenio, and T. Rezk. Secure information flow by self-composition. In *IEEE Computer Security Foundations Workshop*, pages 100–114, 2004.
- [4] G. Barthe and L. P. Nieto. Formally verifying information flow type systems for concurrent and thread systems. In *FMSE*, pages 13–22, 2004.
- [5] G. Boudol. On typing information flow. In *ICTAC*, pages 366–380, 2005.
- [6] G. Boudol and I. Castellani. Noninterference for concurrent programs. In *ICALP*, pages 382–395, 2001.
- [7] G. Boudol and I. Castellani. Noninterference for concurrent programs and thread systems. *Theoretical Computer Science*, 281(1-2):109–130, 2002.
- [8] D. Cock. Practical probability: Applying pglc to lattice scheduling. To appear in ITP 2013.
- [9] Á. Darvas, R. Hähnle, and D. Sands. A theorem proving approach to analysis of secure information flow. In *SPC*, pages 193–209, 2005.
- [10] K. Engelhardt. A note on noninterference in the presence of colluding adversaries (preliminary report). ARSPA-WITS’10. <http://www.cse.unsw.edu.au/~kaie/Publications/Papers/E2010ARSPAWITS.pdf>.
- [11] R. Focardi and R. Gorrieri. Classification of security properties (part i: Information flow). In *FOSAD*, pages 331–396, 2000.
- [12] J. Y. Halpern and K. R. O’Neill. Secrecy in multiagent systems. *ACM Trans. Inf. Syst. Secur.*, 12(1), 2008.
- [13] C. B. Jones. Specification and design of (parallel) programs. In *IFIP Congress’83*, pages 321–332, 1983.
- [14] G. Klein, K. Elphinstone, G. Heiser, J. Andronick, D. Cock, P. Derrin, D. Elkaduwe, K. Engelhardt, R. Kolanski, M. Norrish, T. Sewell, H. Tuch, and S. Winwood. seL4: formal verification of an os kernel. In *SOSP*, pages 207–220, 2009.
- [15] H. Mantel. On the composition of secure systems. In *IEEE Symposium on Security and Privacy*, pages 88–, 2002.
- [16] H. Mantel and A. Sabelfeld. A generic approach to the security of multi-threaded programs. In *CSFW*, pages 126–, 2001.
- [17] H. Mantel and A. Sabelfeld. A unifying approach to the security of distributed and multi-threaded programs. *Journal of Computer Security*, 11(4):615–676, 2003.
- [18] H. Mantel, D. Sands, and H. Sudbrock. Assumptions and guarantees for compositional noninterference. In *CSF’11*, pages 218–232, Cernay-la-Ville, France, 2011.
- [19] H. Mantel and H. Sudbrock. Flexible scheduler-independent security. In *ESORICS*, pages 116–133, 2010.
- [20] H. Mantel, H. Sudbrock, and T. Kraußer. Combining different proof techniques for verifying information flow security. In *LOPSTR*, volume 4407 of *LNCS*, pages 94–110. 2007.
- [21] J. McLean. A general theory of composition for trace sets closed under selective interleaving functions. pages 79–93, May 1994.
- [22] R. Milner. *Communication and concurrency*. Prentice Hall, 1989.
- [23] C. Morgan. The shadow knows: Refinement and security in sequential programs. *Sci. Comput. Program.*, 74(8):629–653, 2009.

- [24] C. Morgan. Compositional noninterference from first principles. *Formal Asp. Comput.*, 24(1):3–26, 2012.
- [25] A. Nanevski, A. Banerjee, and D. Garg. Verification of information flow and access control policies with dependent types. In *Symposium on Security and Privacy*, pages 165–179, 2011.
- [26] G. D. Plotkin. A structural approach to operational semantics. *J. Log. Algebr. Program.*, 60-61:17–139, 2004.
- [27] A. Popescu and J. Hölzl. Possibilistic noninterference. *Archive of Formal Proofs*, 2012.
- [28] A. Popescu, J. Hölzl, and T. Nipkow. Noninterfering schedulers—when possibilistic noninterference implies probabilistic noninterference. To appear in CALCO 2013.
- [29] A. Popescu, J. Hölzl, and T. Nipkow. Proving concurrent noninterference. In *CPP*, pages 109–125, 2012.
- [30] A. Russo, J. Hughes, D. Naumann, and A. Sabelfeld. Closing internal timing channels by transformation. In *ASIAN 2006*, volume 4435 of *LNCS*, pages 120–135. 2007.
- [31] A. Russo and A. Sabelfeld. Security for multithreaded programs under cooperative scheduling. In *Perspectives of Systems Informatics*, volume 4378 of *LNCS*, pages 474–480. 2007.
- [32] A. Sabelfeld. The impact of synchronisation on secure information flow in concurrent programs. In *Perspectives of System Informatics*, volume 2244 of *LNCS*, pages 225–239. 2001.
- [33] A. Sabelfeld. Confidentiality for multithreaded programs via bisimulation. In *International Conference on Perspectives of System Informatics*, *LNCS*, pages 260–273, 2003.
- [34] A. Sabelfeld and A. C. Myers. Language-based information-flow security. *IEEE Journal on Selected Areas in Communications*, 21(1):5–19, 2003.
- [35] A. Sabelfeld and D. Sands. A PER model of secure information flow in sequential programs. In *European Symposium on Programming*, volume 1576 of *LNCS*, pages 40–58, 1999.
- [36] A. Sabelfeld and D. Sands. Probabilistic noninterference for multi-threaded programs. In *IEEE Computer Security Foundations Workshop*, pages 200–214, 2000.
- [37] G. Smith. A new type system for secure information flow. In *IEEE Computer Security Foundations Workshop*, pages 115–125, 2001.
- [38] G. Smith. Probabilistic noninterference through weak probabilistic bisimulation. In *IEEE Computer Security Foundations Workshop*, pages 3–13, 2003.
- [39] G. Smith. Improved typings for probabilistic noninterference in a multi-threaded language. *Journal of Computer Security*, 14(6):591–623, 2006.
- [40] G. Smith and D. Volpano. Secure information flow in a multi-threaded imperative language. In *ACM Symposium on Principles of Programming Languages*, pages 355–364, 1998.
- [41] G. Snelting and D. Wasserrab. A correctness proof for the volpano/smith security typing system. *Archive of Formal Proofs*, 2008, 2008.
- [42] R. van der Meyden and C. Zhang. A comparison of semantic models for noninterference. *Theor. Comput. Sci.*, 411(47):4123–4147, 2010.

- [43] D. Volpano, G. Smith, and C. Irvine. A sound type system for secure flow analysis. *Journal of Computer Security*, 4(2,3):167–187, 1996.
- [44] S. Zdancewic and A. C. Myers. Observational determinism for concurrent program security. In *IEEE Computer Security Foundations Workshop*, pages 29–43, 2003.